INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME ELEVEN

This index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa are in **boldface** as are the pages where they are published. The Patouillard Index (pp. 435-442) is referenced here by genus with the notation "see."

Acanthophiobolus 1-4, 6, 8, 61, 66-69, 75, 82, 84, 99; gracilis 3; helicosporus 3, 4, 7, 27, 31, 35, 53, 54, 69, 102; helminthosporus 2, 4, 5, 8
Acanthostigma 8, 67, 84; gracile 3, 8; helminthosporum 2, 4, 84
Acanthothecielia 1, 8, 9, 53, 69; barbata 8, 9
Acarospora boliviana 250; lorentzii 250
Acremoniula 342
Acrospermum 9, 50; parasiticum 9
Acrotheca 179
Aecidium **see** 436-442
Agaricus **see** 436-442
Aleurodiscus **see** 436-442
Alternaria 352
Alysidiopsis 346
Amanita **see** 436-442
Amphisphaeria **see** 436-442
Amphobotrys 346
Amylocorticium 430, 432; canadense 430-433; cebennense 430-433; indicum 430-433; laceratum 431-433; rhodoleucum 430-432; suaveolens 430-433; subincarnatum 430, 431, 433; subsulphureum 430-433
Anixia **see** 436-442
Anthracobia 370
Anthracothecium desquamans 133 ; goniostomum 250
Antromycopsis 346, 360; broussonetiae 360
Arachnopeziza aurelia 390
Aranea oncospermatis 212
Arcyria 144; cinerea 140, 143; insignis 140
Arenaea javanica 212; macrospora 189, 214
Arnium 165, 172; sect Murnia 165, 167, 171; apiculatum 165, 167, 171, 172; limitans 172; septosporum 172
Arnoldia 446; clavispora 446
Arnoldiomyces 445; clavisporus 446
Arthrinium 346, 350
Arualis 230; carolinensis 230, 231
Ascidium granulosum 133; interponendum 137; interpositum 137; massalongi 137; theiotremoides 138
Ascobolus sexdecimsporus 376
Ascochyta **see** 436-442
Aspergillus 367
Asteridiella knightiae 105
Asterina 105, **see** 436-442
Athelia 447, 471; epiphylla 472; subsphaerospora 472
Athelopsis 432
Atractobolus fimbriifer 194; lanariceps 212; oncospermatis 212; ulei 191
Aureobasidium bolleyi 89
Auriporia 173-175; aurea 174, 176; aurulenta 173, 174, 176; **pileata 173-176**

Badhamia 143, 145; affinis 139, 147; apiculospora 145; gracilis 142-145, 148; macrocarpa 140, 145; ovispora 145; panicea 140, 145
Bagnisiella **see** 436-442
Bahusaganda 346
Barya 50
Beltrania 339, 345, 347, 349-359; indica 347; multispora 347; mundkurii 348, 359; querna 347; rhombica 347; santapaui 348, 359
Beltraniella 345, 347, 349, 350, 352, 353, 355-357; nilagirica 353; parosa 350
Beltraniopsis 345, 347, 349, 353, 355-357
Bisporomyces 345
Blastodictys hibisci 352
Boletus **see** 436-442; piperatus 388, 389
Botryoderma 342
Botryomonilia 346
Botrytis 346
Brooksia tropicalis 179
Buellia subisabellina 250
Buergenerula 106; spartinae 105, 106

Cacumisporium 350
Caeoma **see** 436-442
Caloplaca cinnabarina 250; crocea 251
Camposporium 352
Candelaria concolor 251; fibrosa 251
Candida 365-367
Cantharellus **see** 436-442
Catenularia 345
Ceratocladium 346, 359, 360; microspermum 359, 360
Ceratocystis 344
Ceratomyces 488; terrestris 485
Chaetendophragmia 349-352, 355, 356; triangularia 354
Chaetochalara 345, 348, 359
Chaetomium 8
Chaetopsis 346, 350
Chaetosina 350
Chaetosphaeria aspergilloides 443, 445
Chalara 345, 359
Chalaroposis 345
Chellymenia 370
Chlamydopus meyenianus 420
Chloridium 345
Chromelosporium 346
Circinotrichum 346, 348, 350, 359, 360; pseudocladum 360
Cladobotryum 344
Cladosporium 346

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME ELEVEN

This index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa are in **boldface** as are the pages where they are published. The Patouillard Index (pp. 435-442) is referenced here by genus with the notation "see."

Acanthophiobolus 1-4, 6, 8, 61, 66-69, 75, 82, 84, 99; gracilis 3; helicosporus 3, 4, 7, 27, 31, 35, 53, 54, 69, 102; helminthosporus 2, 4, 5, 8
Acanthostigma 8, 67, 84; gracile 3, 8; helminthosporum 2, 4, 84
Acanthothecielia 1, 8, 9, 53, 69; barbata 8, 9
Acarospora boliviana 250; lorentzii 250
Acremoniula 342
Acrospermum 9, 50; parasiticum 9
Acrotheca 179
Aecidium **see** 436-442
Agaricus **see** 436-442
Aleurodiscus **see** 436-442
Alternaria 352
Alysidiopsis 346
Amanita **see** 436-442
Amphisphaeria **see** 436-442
Amphobotrys 346
Amylocorticium 430, 432; canadense 430-433; cebennense 430-433; indicum 430-433; laceratum 431-433; rhodoleucum 430-432; suaveolens 430-433; subincarnatum 430, 431, 433; subsulphureum 430-433
Anixia **see** 436-442
Anthracobia 370
Anthracothecium desquamans 133 ; goniostomum 250
Antromycopsis 346, 360; broussonetiae 360
Arachnopeziza aurelia 390
Aranea oncospermatis 212
Arcyria 144; cinerea 140, 143; insignis 140
Arenaea javanica 212; macrospora 189, 214
Arnium 165, 172; sect Murnia 165, 167, 171; apiculatum 165, 167, 171, 172; limitans 172; septosporum 172
Arnoldia 446; clavispora 446
Arnoldiomyces 445; clavisporus 446
Arthrinium 346, 350
Arualis 230; carolinensis 230, 231
Ascidium granulosum 133; interponendum 137; interpositum 137; massalongi 137; theiotremoides 138
Ascobolus sexdecimsporus 376
Ascochyta **see** 436-442
Aspergillus 367
Asteridiella knightiae 105
Asterina 105, **see** 436-442
Athelia 447, 471; epiphylla 472; subsphaerospora 472
Athelopsis 432
Atractobolus fimbriifer 194; lanariceps 212; oncospermatis 212; ulei 191
Aureobasidium bolleyi 89
Auriporia 173-175; aurea 174, 176; aurulenta 173, 174, 176; **pileata 173-176**

Badhamia 143, 145; affinis 139, 147; apiculospora 145; gracilis 142-145, 148; macrocarpa 140, 145; ovispora 145; panicea 140, 145
Bagnisiella **see** 436-442
Bahusaganda 346
Barya 50
Beltrania 339, 345, 347, 349-359; indica 347; multispora 347; mundkurii 348, 359; querna 347; rhombica 347; santapaui 348, 359
Beltraniella 345, 347, 349, 350, 352, 353, 355-357; nilagirica 353; parosa 350
Beltraniopsis 345, 347, 349, 353, 355-357
Bisporomyces 345
Blastodictys hibisci 352
Boletus **see** 436-442; piperatus 388, 389
Botryoderma 342
Botryomonilia 346
Botrytis 346
Brooksia tropicalis 179
Buellia subisabellina 250
Buergenerula 106; spartinae 105, 106

Cacumisporium 350
Caeoma **see** 436-442
Caloplaca cinnabarina 250; crocea 251
Camposporium 352
Candelaria concolor 251; fibrosa 251
Candida 365-367
Cantharellus **see** 436-442
Catenularia 345
Ceratocladium 346, 359, 360; microspermum 359, 360
Ceratocystis 344
Ceratomyces 488; terrestris 485
Chaetendophragmia 349-352, 355, 356; triangularia 354
Chaetochalara 345, 348, 359
Chaetomium 8
Chaetopsis 346, 350
Chaetosina 350
Chaetosphaeria aspergilloides 443, 445
Chalara 345, 359
Chalaroposis 345
Chellymenia 370
Chlamydopus meyenianus 420
Chloridium 345
Chromelosporium 346
Circinotrichum 346, 348, 350, 359, 360; pseudocladum 360
Cladobotryum 344
Cladosporium 346

Clasterosporium 24
Clavaria **see** 436-442
Clavariopsis **see** 436-442
Clavatospora 346, 361; longibrachyata 361
Clitocybe gigantea 429
Clonostachys 345
Coccocarpia 219
Coccomyces 238, 239; coronatus 233, 238, 239; dentatus 233, 236, 239; tumidus 233, 239
Cochliobolus 9, 22, 29, 34, 54, 59, 61; heterostrophus 54, 75; zeae 61
Cochliomyces 488; argentinensis 485
Codinaea 348, 352
Coliema glaucophthalmum v implicatum 251
Colletotrichum 106; falcatum 106; graminicola 106
Colloderma oculatum 141, 143
Collybia racemosa 360; velutipes 414, 416
Colonomyces 488, 489
Comatrichia 144; laxa 140, 142, 144; lurida 140, 143; nigra 140; pulchella 140, 143
Conferticium 447, 448, 475; **insidiosum** 447, **448**; **karstenii 448**; **ochraceum 448**
Conidiobolus 256, 257, 264-266, 323-327, 329, 330, 334-336; **apiculatus 330**, **batkoi 330**; brefeldianus 256, 264; **carpentieri 330**; coronatus 264, 324; **giganteus 331**; **gryllj 330**, **331**; **major 331**; megalotocus 264; **obscurus 331**; osmodes 258, 259, 262, 263, 324; **papillatus 331**; pseudococci 324; stromoideus 258, 259, 262-264; **tenthredinis 331**; thromboides 255-266, 296, 297, 324; **tipulae 331**; utriculosus 330
Conoplea 350, 353
Coprinus **see** 436-442; lagopus 416
Coprotus 376, 377; albidus 378; baeosporus 377; breviascus 378; dextrinoideus 378; duplus 378; glaucellus 378; leucopocillum 378; niveus 378; ochraceus 378; sarengparensis 377; **sphaerosporus 377**, 378; trichosurus 377; winteri 378
Cordella 346, 348, 350
Cordyceps **see** 436-442
Coriolus versicolor 446
Corticium canadense 431; cebennense 431; laceratum 430, 432; rhodoleucum 430, 432; subincarnatum 433; subsulphureum 433; sulphureo-marginatum 433
Cratericium leucocephalum 141, 143
Crinipellis **see** 436-442
Crinula 345
Cryptococcus 365-367; cereanus 366; lactativorus 366; neoformans 366
Cryptophiale 177, 180, 181, 350; guadalcanalensis 180, 181; iriomoteana 179-181; kakombensis 180, 181; manifesta 180, 181; **minor 177-181**; udagawae 180, 181
Cryptosporiopsis 343
Culicicola 299, 323-327, 329, 332, 335; culicis 329, 332; virulenta 266
Custingophora 443; olivacea 443, 445; **suidafrikana 443-445**
Cyathus **see** 436-442
Cylindrina 1, 9, 10; delavayi 9, 10
Cylindrotrichum 346
Cyphellophora 346
Cystostereum 447, 454; **heteromorphum 450-452**, 454; subabruptum 454
Cytospora **see** 436-442

Dacrymyces ellisii 414
Daedalea **see** 436-442
Daldinia **see** 436-442
Dasyscypha cyatheae 212, 214; cyatheicola 209; flavidula 204, 208; gaultheriae 192; javanica 210, 212-214; v citrinula 212; lanariceps 212; merrillii 212; oncospermatis v macrospora 210; pteridophylla 209; tubiformis 209, 212
Dasyscyphus 189, 190; **brevisporus** 190, **201**, 205, 208; chermisinus 189, 190, 192, 195; dicranopteridis 191, 192; fimbriifer 189, 197, 199, 201, 203, 204, 208, 209; v brevisporus 189, 201; v fimbriifer 190, 194, 198, 201, 203; v **singerianus** 190, 198, **199**, 201, 203; flavidulus 203; oncospermatis 189, 214, 215; v **macrosporus** 190, **214**; v oncospermatis 190, 210, 212, 215; pteridophyllus 189, 212; singerianus 189, 199, 201; ulei 189, 190, 192, 193,; varians 189, 197, 199, 207, 209, 212-214; v **pteridophyllus** 190, **209**, 210; v varians 190, 203, 208, 209
Delitschia apiculata 165, 167, 170
Dermatophora 353
Dendrospora 346, 361; erecta 361
Dendrosporomyces 346, 361; prolifer 361
Dendrostilbella 345
Desertella 342
Dichobotrys 346, 369, 370, 372-374; abundans 373, 374; brunnea 374; parvispora 374; sessilispora 373, 374
Dictyophora **see** 435-442
Diderma 148; effusum 148; simplex 141, 143
Didymium 139, 142, 148, 150, 151, 162, 163; anellus 141, 143, 146; **atrichum** 150, 153-155, 157, **161-163**; difforme 141; dubium 141, 146; eremophilum 148; iridis 143, 148; karstensii 139, 142, 144, 148; nigripes 141; squamulosum 148, 160; trachysporum 151, 159, 162, 163; vaccinium 141
Didymosphaeria **see** 436-442
Diheterospora 345
Dilophia 1, 10, 38; graminis 10
Dilophospora 39; alopecuri 38, 39
Dimerosporium **see** 436-442
Dimorphospora 345
Dinaemasporium graminum 30
Dipolodia **see** 436-442

Diploschistes actinostomus 251; ochraceus 251
Dirinaria applanata 251
Dischloridium 345
Dumontinia 393, 394; tuberosa 381-383, 393-395
Duosporium 345
Dwayabeeja 345, 346

Echinobotryum 342, 350
Echinocatena 346
Echinostelium colliculosum 140; minutum 142, 143, 147
Ellisiopsis 345, 347, 349, 352, 353, 355-357
Empusa 272, 273, 276, 298, 325, 328, 332; subg Empusa 298; subg Triplosporium 298, 299, 325, 331; americana 301; aphidis 277, 280, 304; apiculata 330; v major 331; caroliniana 302; culicis 299; dipterigena 302; echinospora 302; fresenii 278, 331; fumosa 332; gracilis 302; lageniformis 278, 332; montana 302; muscae 272, 280, 298, 327, 328, 332; occidentalis 278; papillata 331; phalangicida 302; planchoniana 278; radicans 298-301, 303, 333; rhizospora 302; sepulchralis 302; sphaerosperma 301, 333; variabilis 302; virescens 299, 302, 333
Endocarpon wightii 135
Endogone see 436-442
Entomophaga 323-327, 329, 330, 335; subg Lichia 327; kansana 328
Entomophthora 256, 266, 272-274, 276, 285, 288, 298-300, 303, 311, 323-330, 332, 334; subg (?) Tarichium 326; adjarica 331; aphidis 262, 269-274, 276-285, 288, 290, 294-300, 303-305, 307, 311, 313, 316, 326, 333; aquatica 301; batkoi 330; blunckii 302; brahminae 302; bullata 302; calliphorae 302; canadensis 279, 284, 285, 301; cartpentieri 330; conglomerata 330; conica 299, 302; coronata 297; creatonoti 302; culicis 273, 298, 332; curvispora 298, 299; delphacis 312; erupta 328, 332; exitialis 269-271, 281-285, 296, 297, 313, 316; ferruginea 269-271, 274, 280, 281, 284, 285, 294, 295; floridana 331; gigantea 331; gloeospora 302; gryllI 272, 311, 330; ignobilis 297; muscae 272, 290, 295, 307, 308, 311, 332; myrmecophaga 302; obscura 256, 262, 266, 278, 297, 331; ovispora 276, 277, 298, 299, 301, 333; parvispora 332; phalloides 262; planchoniana 281, 284, 295, 328, 332; sphaerosperma 262, 272, 273, 276, 298, 303, 327, 328; tenthredinis 273, 331; thaxteriana 278; thripidum 328, 332; tipulae 273, 331; turbinata 332; virescens 303, 304; virulenta 255-266, 296, 297, 324; weberi 328, 332
Erinella see 436-442; javanica 212; javensis 212
Erioderma 226, 227

Eriopezia caesia 390
Erynia 269, 298-302, 323, 324, 327-330, 332, 334-336; americana 301; aquatica 301; blunckii 302; brahminae 302; bullata 302; calliphorae 302; castrans 333; conica 298, 302, 332; creatonoti 302; curvispora 298, 302, 332; dipterigena 302, 312; echinospora 302; erinacea 302; gloeospora 302; gracilis 302; magna 333; montana 302; myrmecophaga 302; neoaphidis 269, 270, 285, 298, 302, 307, 309-312, 314-317; nouryi 269, 270, 285, 298, 302, 313-317; ovispora 298, 301, 332, 333; phalangicida 302; rhizospora 302; sepulchralis 302; variabilis 302; virescens 302, 333; vomitoriae 302
Euceratomyces 488, 489; terrestris 485, 486, 490
EUCERATOMYCETACEAE 485, 488
Euzodiomyces 488, 489; lathrobii 485
Exilispora 1, 10; plurisepta 7, 10, 31, 32
Exophiala 182, 183; dopicola 182, 183; salmonis 183
Exosporiella fungorum 352

Favolus see 436-442
Filobasidiella 366
Fracchiaea see 436-442
Fuligo cinerea 140, 143, 147; megaspora 139, 140, 142, 147; septica 143, 147, 152
Fulvia 346
Fusarium 367, 368
Fusisporella 351

Gaeumannomyces 1, 2, 10, 12, 14, 15, 18, 20, 23-30, 33, 39, 42, 45, 53, 58, 64, 85, 88, 89, 95, 98, 99, 104-106, 116; caricis 1, 10, 12, 18, 23, 24, 26, 102; cylindrosporus 12, 20, 24, 25, 91, 93; graminis 2, 10, 12, 22, 24, 25, 27-29, 65, 74, 81, 88, 90, 101, 106-108, 116; v avenae 12, 17, 18, 20, 22, 28-31, 53, 86, 93; v graminis 10, 12, 14, 15, 20, 25-27, 29, 44-46, 53, 61, 62, 65, 69, 89, 91-94, 99, 107; v tritici 12, 14, 15, 20, 22, 28-31, 85, 86, 93, 101, 102, 104; leptosporus 25, 62, 64, 98; oryzinus 15, 25
Galzinia 447, 456; incrustans 454; longibasidia 454
Gamsia 344
Ganoderma see 436-442
Geaster see 436-442
Gibbera see 436-442
Gilmaniella 342
Glischroderma 346
Gloeocystidiellum 447, 448; insidiosum 448; karstenii 448; ochraceum 448
Gloeocystidium insidiosum 448; karstenii 448
Glomerella 106
Gloniella see 436-442
Gonytrichum 350
Graphium 344

Gymnodochium 344
Gyrothrix 346, 348, 359, 360

Haematomma montevidense 251
Hansfordia 350, 353
Hansfordiella 350, 352
Hansfordiellopsis 350
Haplariopsis 358
Haplobasidion 346
Heliscus 346, 361; longibrachyatus 361; lugdunensis 361
Helotium see 436-442
Helvella see 436-442
Hemibeltrania 347, 349, 354-358; navicularis 358
Hendersonia herpotricha 76
Herpomyces 485, 489; ectobiae 486
HERPOMYCETINEAE 485
Heterodermia diademata 251; flabellata 250, 251
Humaria 370, see 436-442
Humicola 342, 345
Hyaloderma see 436-442
Hyalopsora see 436-442
Hydnum see 436-442
Hymenoscypha tuberosa 383, 392
Hymenoscyphus tuberosus 383, 394
Hyphodiscosia 346
Hyphodontia 447; quercina f coralloides 456, 457; f quercina 456
Hypoderma 233, 234, 238; gaultheriae 233, 234, 236, 238, 239; rubi 234; virgultorum 234
Hypomyces see 436-442
Hypotrachyna pluriformis 251
Hypoxylon 101

Inocybe 173, 174

Kumanasamuha 350

Laboulbenia 489
Lacellina 348
Lacellinopsis 346, 348
Lachnella dicranopteridis 191; gleicheniae 203
Lachnocladium see 436-442
Lachnum gleicheniae 203, 204, 207, 208
Lamia 298, 299, 325, 326, 332; culicis 332
Laschia see 436-442
Lasiosphaeria 1, 4, 31; gracilis 3, 4, 6-8, 31, 68; helminthospora 4, 8, 31, 84; raciborskii 31, 69
Lecanora fusca 251
Lecidea angolensis 252; oreinodes 252; russula 252
Lejosphaerella 29
Lentinellus cochleatus 418
Lentinus see 436-442
Lepidoderma 163; challetii 159, 163
Lepiota see 436-442
Leporina multispora 376
Leptodiscella 346
Leptogium austroamericanum 252
Leptographium 343, 344
Leptoporus see 436-442

Leptosphaeria 1, 10, 27, 31, 37-39, 69; compressa 7, 10, 31, 32, 37, 53; doliolum 31; hesperia 33, 38; korrae 32, 81, 105; narmari 32, 33, 81, 105; ophioboloides 33, 58; paludosa 26, 27, 33, 58; plurisepta 10; tenaceti 33, 38, 60
Leptosphaeriopsis 1, 33, 58; ophioboloides 33, 58
Leptospora 1, 4, 9, 27, 33, 34, 37, 55, 59; helminthospora 2-4, 6, 8, 35, 84; implexa 35-37, 47, 54, 60; rubella 33, 34, 55, 59, 61
Leptosporopsis 1, 33, 37, 45, 59; brunneiae 37; herpotrichus 37, 77; rostrupii 37, 38
Leptotrema 130, 131; africanum 131; chiriquiense 136; crassum 136; deceptum 133; hawaiiense 131; hypoprotocetraricum 131; mammiculum 134; microsporum 137; panamense 137; stellatum 132
Leucogyrophana 430
Leucopaxillus 429
Leucoporus see 436-442
Leucoscypha 370
Licea fimicola 139, 140, 142-144; parasitica 144; pedicellata 147; pseudoconica 140
Lichen lepadinus 131
Lidophia 1, 10, 38, 39; graminis 38
Lilliputia see 436-442
Linocarpon 1, 14, 15, 24, 39, 40, 42, 44, 45, 49, 54-56, 58, 61, 81, 95, 97; cajani 42, 45; cariceti 16, 20, 27, 29-31, 42, 101; elaeidis 42, 45; eucryptum 24, 44; halimum 44; livistonae 44, 55; manihotis 44; maritimum 44, 99; medusae 44, 56; muroianum 44, 95; nipae 44, 56; oryzinum 44; palmetto 44, 45; pandani 15, 39, 40, 42, 45; stipae 44, 78; umbelliferarum 44, 98; verminosum 44, 61; versisporum 44, 45, 61; williamsii 45, 81
Linospora 1, 45, 95, 103; antarctica 45, 103, 104; bruneliae 37; capreae 45; magellanica 45, 46; palmetto 44, 45; pandani 39, 40, 45; pruneliae 37, 45; pulchella 15, 17, 45; subantarctica 103
Lophionema implexum 55
Lophiostoma 37; implexum 55
Lophodermium 1, 46, 49, 101, 233, 236, 238; alpinum 49; arundinaceum 46; v alpinum 49; exaridum 233, 234; graminеum 46; magellanicum 45-49, 104; schweinitzii 233, 234, 236, 238, 239
Lulworthia 49, 56; halima 44, 49, 53; medusae 44, 49, 56
Lycoperdon 188; curtisii 188; marginatum 188; nettyana 185, 186, 188; perlatum 188; pyriformis 185, 186, 188; rimulatum 188
Lylea 346

Macroscyphus 392; tuberosus 383, 392, 394

Magnaporthe salvinii 29, 105, 106
Mahabalella 348, 352
Mammaria 342
Marasmius see 436-442
Mariannaea 345
Massospora 325, 328, 330, 334, 335; cicadina 334
Melanopus see 436-442
Meliola see 436-442; panici 60
Menegazzia 227; pertransita 227
Menispora 352
Menisporopsis 352
Microdochium bolleyi 89
Microstelium 1, 49, 50; hyalinum 49
Minimidochium 348, 352
Monilia 367
Moniliophthora 367
Monotrichum 352
Mycoacia 447, 472, 473
Mycochiamys 345
Mycoleptodiscus 352
Mycosphaerella 31
Mycosylva 346
Myiophyton 327, 328, 332; cohnii 332
Mylitta see 436-442
Myriotrema 130-132; albidulum 132; anamalaiense 132; andamanicum 132; bahianum 132; barroense 132; calvescens 132; cinereoglaucescens 132; cinereum 132; clandestinum 133; compunctum 133; concretum 133; configuratum 133; congestum 133; costaricense 133; dactyliferum 133; deceptum 133; desquamans 133; elachistoteron 133; eminens 133; exile 133; follicola 133; fragile 133; glaucescens 133; glaucophaenum 133; glauculum 133; granulosum 133; halei 133; hartii 133; immersum 133; insigne 133; laeviusculum 134; leiostomum 134; mammiculum 134; mammilare 134; masonhalei 134; maximum 134; microporellum 134; microporum 134; microstomum 134; minutulum 134; minutum 134; myriocarpum 134; myrioporoides 134; myrioporum 134; myriotremoides 134; norstictícum 134; occultatum 134; olivaceum 132; pachystomum 134; phaeosporum 134; porinaceum 134; protocetraricum 134; pulverulentum 135; pycnoporellum 135; reclusum 135; rugiferum 135; santessonii 135; scabridum 135; schizostomum 135; secernendum 135; sphinctrinellum 135; steyermarkii 135; subcompunctum 135; subconforme 135; subwrightii 135; terebrans 135; terebratulum 135; trypaneoides 135; uniseptatum 135; urceolare 135; viridialbum 135; vulcani 135; wightii 135; wrightii 136
Myrothecium 346

Naematoloma 477
Nakataea 353; sigmoidea 105
Nectria pallidula 351
Nematoloma 249
Neozygites 323, 324, 329-331, 334-336; adjarica 331; aphidis 329, 331; floridana 331; fresenii 331, 332; fumosa 332; lagenIformis 332; parvispora 332; tetranychi 332; turbinata 332
Nidularia see 436-442
Nodulosphaeria 103; erythrospora 58

Ocellaria 130, 131, 136; arecae 136; asiatica 136; auberiana 136; aurata 136; barroensis 132; caledoniensis 136; chiriquiensis 136; configurata 133; conformis 136; confusa 136; congesta 133; costaricensis 133; crassa 136; dactylifera 133; depressa 136; dilatata 131; dissuta 131; dominicana 137; epitrypa 136; erumpens 136; esslingeri 131; eumorpha 136; fissa 136; fragilis 133; glyphica 136; grandis 136; interponenda 137; interposita 137; kamatii 131; leucina 137; leucomelaena 137; lireliiformis 137; marivelensis 137; massalongi 137; meiosperma 137; metaphorica 137; microspora 137; minutula 134; minuta 134; monosporoides 137; neei 132; neodominicana 137; obscura 137; panamensis 137; phlyctidioides 132; planaria 137; praestans 137; protocetrarica 134; pseudoxanthismocarpa 132; pesudoschizostoma 132; psoromica 137; pulverulenta 135; referta 132; sanfordiana 137; stictica 137; straminea 137; subpraestans 138; subsimilis 138; subwrightii 135; tenuis 138; thelotremoides 138; turgidula 132; uniseptata 135; virens 138
Ochrolechia subpallescens 252
Octospora tuberosa 382, 383, 389, 390, 394
Oedocephalum 361, 367
Oidiodendron 346
Oidium 346
Oliveonia 447; fibrillosa 458, 459; pauxilla 459; subfibrillosa 456, 458
Ophiobolus 1, 3, 16, 17. 23, 26, 31, 33, 37-39, 42, 49-51, 53-55, 58, 59, 61, 62, 66-70, 72, 77, 82, 103; subg Eu-ophiobolus 66; subg Ophiochaeta 3, 58, 66-68; acuminatus 33, 50, 51, 53, 56; andropogonis 51, 52, 56, 59, 76, 77; arenarius 52; australiensis 53, 55; barbatus 8, 53; brachysporus 53, 94, 95; cariceti 53, 101; chaetophorus 3, 8, 53, 66, 67; coffeatus 53; compressus 32, 37, 53; culmorum 53; disseminans 50, 51, 53, 56; eucryptus 23, 27, 53, 99; gracilis 3. 4, 53; graminicola 53, 70, 72; graminis 14-16, 20, 22, 23, 26-31, 53, 65, 95; v avenae 17, 53; halimus 44, 53; helicosporus 3, 54; herpotrichus 3, 30, 37, 54, 58, 66-68, 74, 76; heterostrophus 9, 54; immersus 54, 94; implexus 35, 54; incomptus 54, 66, 67; junci 54, 82; leptospermus 54, 77; leptosporus 37, 54, 55; licualae 45, 55; littoralis 53, 55; livistonae 44, 45, 55; manihotis 44, 55; maritimus 44, 56; medusae

[Ophiobolus medusae] 44, 52, 56, 59; v minor 52, 56, 59, 70, 76, 77; f bromi 56, 75, 77; moravicus 56, 94, 95; nipae 44, 45, 56; oedema 45, 58, 102; ophioboloides 33, 58; oryzae 58, 76, 77; oryzinus 12, 14, 15, 17, 25, 27, 29, 58; paludosus 58; pellitus 58, 66, 67; penicillius 58, 66-68; porphyrogonus 55; prunellae 37, 59; rostrupii 33, 37, 45, 59; rubellus 33, 34, 59; salinus 52, 56, 59; spirosporus 37, 59; stictisporus 59, 103; stipae 59, 60, 82; tanaceti 33, 37, 38, 60; tortilis 37, 60; trechisporus 61; trichellus 60, 70; trichisporus 34, 35, 55, 61; verminosus 44, 45, 61, 103; versisporus 44, 61; zeae 9, 61, 74, 77
Ophioceras 1, 25, 62, 64, 66, 98, 100, 101; dolichostomum 62, 64, 66, 102; filiforme 62, 100; implexum 35; **leptosporum** 56, 62-64, 98; sorghi 15, 65, 66; zeae 65, 66
Ophiochaeta 1, 2, 5, 6, 9, 58, 61, 66-69, 82, 84; barbata 8, 9, 67, 69; chaetophora 3, 8, 67, 69; cladii 4, 69; gracilis 2, 3, 66, 67, 69; graminis 15, 22, 29, 30, 69; helminthospora 4, 5, 67, 69, 84; herpotricha 67, 69, 74; incompta 54, 67, 69; penicillus 67, 69; raciborskii 31, 67, 69; trichella 60, 67, 70
Ophiosphaerella 1, 2, 52-54, 60, 61, 68, 70, 72-74, 81, 82, 84, 99; **erikssonii** 1, 70, 73, 74, 78; graminicola 70, 72, 78; **herpotricha** 31, 37, 52, 54, 56, 58, 61, 69, 70, 73, 74-78, 82, 99, 102; **leptosperma** 54, 77, 78, 99; **stipae** 44, 78, 80-82; **williamsii** 45, 78, 81, 82
Ophiosphaeria 1, 2, 8, 67, 68; chaetophora 3, 8; gracilis 3, 5, 6, 27; tenella 3-6, 8, 67
Ophiotricha 84
Ophiotrichia 1, 2, 84
Ovulariopsis 346
Ozonium **see** 436-442

Pachnodium 346
Pannaria 228; immixta 228
Panus fragilis 410
Paraphaeosphaeria michotii 31
Parapyricularia 353
Parmelia canaliculata 252
Parmeliella 217, 228; amphibola 227; coronata 217; **duplomarginata** 217, 219, 221, 223, 224, 226-228; gayana 217, 219, 226, 227; periptera 228; plumbea 226, 227; pycnophora 226, 227
Parmelina lindamanii 252; muelleri 250, 252; pilosa 252
Parmotrema ecilliatum 252; reticulatum 253
Patella 370; contradicta 369, 370, 372, 374
Penicillium 367
Peniophora 447; incarnata 460; mollis 430; nuda 460, 462; **pseudonuda** 459, 460, 462, 475; pseudoversicolor 460; quercina f **phleboides** 457, 459; f quercina 459; subsulphurea 430
Perichaena 144, 163; chrysosperma 140; corticalis 140, 143, 147; depressa 140, 147; vermicularis 140, 147
Periconia 350
Pesotum 344
Peziza 382, 389; aurelia 390; caesia 390; fimbriifer 194; lanariceps 212, 214; oncospermatis 212; tuberosa 382, 383, 389, 390, 392, 394; ulei 191
Phaeangium **see** 436-442
Phaeographina arechavaletae 253; mirabilis 132
Phaeopezia **see** 436-442
Phaeophyscia 423
Phaeosphaeria 1, 2, 60, 61, 69, 70, 72, 84; herpotricha 70, 72, 74, 84; herpotrichoides 30, 105; oryzae 70, 84; vagans 70
Phaeotrema 130, 131; aggregatum 131; caledoniense 136; foliicola 133; mammilare 134; obscurum 137; psoromicum 137; rockii 132; scabridum 135; stictiicum 137; virens 138; vulcani 135
Phaeotrichoconis crotalariae 352
Phellinus **see** 436-442
Pheopezia **see** 436-442
Phialea 390; tuberosa 383, 390, 394
Phialocephala 343, 344
Phialogeniculata 346
Phialographium 345
Phialophora 1, 2, 12, 14, 25, 85, 87-93, 106, 346; **graminicola** 2, 24, 25, 87, 89, 90, 91, 93; mutabilis 85; radicicola 1, 85-91, 93, 94; v graminicola 89-91; v radicicola 89, 91, 94
Phlebia 447; **caspica** 460, 464; subochracea 464, 466
Phlyctospora **see** 436-442
Phoma **see** 436-442
Phylacteria **see** 436-442
Phyllachora **see** 436-442
Phyllosticta **see** 436-442
Phymatotrichopsis 346
Physalacria **see** 436-442
Physarum 141; auriscalpium 145; compressum 141, 143, 146; didermoides 141, 143; lateritium 146; leucophaeum 142, 146; leucopus 141, 143; luteolum 146; mutabile 141; notabile 141; nucleatum 141, 143; pusillum 141, 143, 146; straminipes 139, 142, 144, 146, 148; vernum 146
Physcia hirsuta 423; hispidula 423, 424; rubropulchra 423
Physciopsis syncolla 253
Pilacre **see** 436-442
Pistillaria **see** 436-442
Pithomyces 61; maydicus 61
Plagiosphaeria 1, 15, 27, 45, 56, 94, 95, 97-99, 102; bhargavai 95; immersa 53, 54, 94, 98; moravica 94; **muroiana** 44, **94**, 96; **platensis** 97, 104; quercicola 98, 99; umbelliferarum 44, 64, 98

Platygrapha astroidea 131; coccinea 131; magnifica 131
Pleiochaeta 352
Plejobolus 52; arenarius 52
Pleospora 31, **see** 436-442; phaeocomoides v infectoria 102
Pleuroceras 98
Pleurotus 360, **see** 436-442; cystidiosus 360
Plicatura **see** 436-442
Podaxon **see** 436-442
Podoscypha **see** 436-442
Podospora 167
Polyporus **see** 436-442; brumalis 414
Polysaccum **see** 436-442
Poria aurea 173
Porina halei 133
Psathyrella 477
Pseudobeltrania 345, 347, 349, 355-357
Pseudocyphellaria aurata 227; intricata 227
Pseudoecteinomyces 488
Pseudoparmelia exornata 253; papillosa 253
Psilocybe 249, **see** 436-442, 476, 477, 480, 481; baeocystis 478, 480; callosa 480; cyanescens 479; **cyanofibrillosa 477-480**, 482, 483; liniformans 481; v **americana 480-483**; v liniformans 480; pelliculosa 479; semilanceata 477, 480, 481
Psoroma 219, 228
Psoromaria 228
Pteroconium 346, 350
Pterula **see** 436-442
Puccinia 389, **see** 436-442; aegopodii 389
Pulchromyces 346
Pyrenochaeta oryzae 29
Pyricularia 353
Pyronema 376, **see** 436-442
Pyxine subcinerea 253

Ramalina celastri 253; prolifera 253
Ramichloridium 345
Raphidospora 99; leptosperma 99
Rhabdospora **see** 436-442
Rhaphidophora 1, 99; graminis 10, 15, 16, 99; herpotricha 74, 99; incompta 4, 69; leptosperma 77, 99; maritima 44, 56, 99
Rhaphidospora 99; herpotricha 74, 99; leptosperma 77, 99; oedema 58; verminosa 61
Rhinocladiella 345
Rhinocladium 342
Rhizoctonia solani 106
Rhodotorula 366
Rhodotus palmatus 409, 410, 414, 416
Rhombostilbella 349, 351, 353, 355, 356
Rinodina homobola 250, 253
Russula **see** 436-442
Rutstroemia tuberosa 383, 392, 394

Sarcodontia 472; crocea 472
Sarcosoma **see** 436-442
Schizacrospermum 1, 100; filiforme 62, 100
Schizophyllum **see** 436-442
Scleroderma **see** 436-442
Sclerostilbum 346, 360; septentrionale 360
Sclerotinia 382, 390; tuberosa 383, 390, 394
Scolecosporiella 76, 77
Scorpiosporium 346
Scutellinia 370
Scytalidium 345
Selenosporella 345
Septomyrothecium 346
Septonema 346
Septoria **see** 436-442
Septosporium 348
Sessiliospora 350
Sistotrema 447, 466; brinkmannii 474, 475; coroniferum 466; **resinicystidium 466, 467**; **suballantosporum 468, 469**
Sorocybe 346
Sphaeria 1, 99, 101; cariceti 1, 99, 101; chaetophora 3-5, 8, 102; coffeata 53, 102; culmorum 53, 102; dolichostoma 62, 102; eucrypta 26, 27, 44, 53, 98, 99, 102; fragiformis 101; helicospora 3-6, 8, 102; herpotricha 69, 73, 74, 77, 102; littoralis 55, 102; oedema 58, 102; penicillus 51, 58, 67-69, 102, 103; rubra Fragi similis 101; stictispora 59, 103; verminosa 61, 103
Sphaeropsis **see** 436-442
Sphaerosporella 369, 373
Sphaerostilbe **see** 436-442
Sphaerulina 1, 66, 103; **antarctica** 45, 49, 82, 103; myriadea 103; pedicellata 106
Spiniger 361, 367
Spondylocladiopsis 358
Spongipellis **see** 436-442
Sporidesmium 350
Sporopachydermia 366
Sporoschismopsis 350
Squamuloderma 162, 163; nullifera 159, 163
Stahelielia 346
Stemonitis 144; flavogenita 140
Stictis 9, 59; leprieurii 131
Stigmatomyces 488, 489; baeri 485
Streptobotrys 346
Strongwellsea 323, 324, 326-329, 335; castrans 333; magna 333
Stropharia 241, 248, 249, **see** 436-442; aeruginosa 248; ambigua 243, 248, 249; coronilla 243, 248; cyanea 248; hardii 243, 248; hornemannii 243, 248, 249; kauffmanii 249; rugosoannulata 243, 248, 249; subsquamulosa 249
Subulispora 349-351, 355, 356; procurvata 354

Tarichium 273, 276, 303, 304, 323-326, 330, 335; aphidis 273, 284, 304; megaspermum 273, 303, 304, 330; sphaerospermum 273
Teloschistes chrysophthalmus v cinereus 253; cymbalifer 253; exilis 253

Thelephora ochracea 448
Thelotrema 130, 131; sect Ascidium 130, 136; sect Myriotrema 130, 132; sect Thelotrema 130, 131; **africanum 131; aggregatum 131;** albidulum 132; anamalaiense 132; andamanicum 132; arecae 136; asiaticum 136; **astroideum 131;** auberianum 136; auratum 136; calvescens 132; cinereoglaucescens 132; cinereum 132; clandestinum 133; **coccineum 131;** concretum 133; conforme 136; confusum 136; depressum 136; **dilatatum 131; disjunctum 131;** dominicanum 137; elachistoteron 133; eminens 133; epitrypum 136; erumpens 136; **esslingeri 131;** eumorphum 136; exile 133; fissum 136; glaucescens 133; glaucophaenum 133; glauculum 133; glyphicum 136; grande 136; hartii 133; **hawaiiense 131; hypoprotocetrariicum 131;** immersum 133; insigne 133; **kamatii 131;** laeviusculum 134; leiostomum 134; lepadinum v bahianum 132; **leprieurii 131;** leucinum 137; leucomelaenum 137; lirelliforme 137; **magnificum 131;** marivelense 137; masonhalei 134; maximum 134; meiospermum 137; metaphoricum 137; microporellum 134; microporum 134; microstomum 134; **mirabile 132;** monosporoides 137; myriocarpum 134; myrioporoides 134; myrioporum 134; myriotremoides 134; **neei 132;** norsticticum 134; obturatum 136; occultum 134; pachystomum 134; phaeosporum 134; **phlyctidioides 132;** planarium 137; porinaceum 134; praestans 137; **pseudoexanthismocarpum 132; pseudoschizostomum 132;** pycnoporellum 135; reclusum 135; **refertum 132; rockii 132;** rugeriferum 135; sanfordianum 137; santessonii 135; schizostomum 135; secernendum 135; sphinctrinellum 135; **stellatum 132;** steyermarkii 135; stramineum 137; subcompunctum 135; subconforme 135; subpraestans 138; subsimile 138; tenue 138; terebrans 135; terebratulum 135; trypaneoides 135; **turgidulum 132;** urceolare 135; viridialbum 135; wrightii 136
Thermomyces 342
Thielaviopsis 345
Tomentella **see** 436-442
Torula 346, **see** 436-442
Toruloposis 365-367
Toxosporium 350
Trechispora 447, 470; **dimitica 468,** 470; pallido-aurantiaca 470
Triadelphia 345
Tricharina 370
Tricholoma 425; **titans 425, 426,** 429
Trichophaea 370, 372, 373; abundans 369, 373; brunnea 369, 373; **contradicta 369, 370,** 373, 374
Trichospermella 97; platensis 97; pulchella 97
Tricladium 346
Triplosporium 323, 324, 326, 329, 331, 335; fresenii 329, 330; lageniformis 329; tetranychi 332
Tulostoma deserticola 420
Tylostoma **see** 436-442
Tyromyces 174, 175; inocybe 174, 176; simanii 174

Umbellidion 345
Ungulina **see** 436-442
Urceolaria compuncta 133
Uredo **see** 436-442; aegopodii 389
Urohendersoniella 76
Usnea dichroa v spinulosa 254

Valdensinia heterodoxa 238
Varicosporium 346, 361
Verrucobotrys 346
Verticicladiella 343, 344

Walkeromyces 350
Whetzelinia tuberosa 383, 392, 394
Winterella 1, 104; platensis 97, 104
Wojnowicia graminis 22, 23

Xanthochrous **see** 436-442
Xerocarpus subsulphureus 430
Xerotus **see** 436-442

Ypsilonia 9

Zanclospora 350
Zignoella **see** 436-442
Zoophthora 269, 270, 279, 285, 290, 299-301, 305, 306, 323-330, 333-336; subg Erynia 269, 299, 301, 326, 333, 335; subg Furia 269, 299, 301, 326, 333, 335; subg Pandora 269, 279, 281, 284, 299-301, 326, 333, 335; subg Zoopthora 299-301, 326, 333, 335; aphidis 269, 270, 279, 284, 285, 287, 289-293, 295, 301, 304-307, 316, 317, 328, 334; **canadensis 301,** 305-307; elateridiphaga 301; erinacea 279, 302; ferruginea 284, 295; geometralis 301; myrmecophaga 302; occidentalis 301, 305-307; phalloides 301, 305-307; phytonomi 301; radicans 269, 279, 282, 290, 296, 297, 301, 305-307, 316, 326, 333, 334; vomitoriae 302
Zopfiella lundqvistii 171

MYCOTAXON

VOLUME XI, 1980

COMPLETE IN TWO QUARTERLY ISSUES
CONSISTING OF iv + 513 PAGES
INCLUDING FIGURES

CO-EDITORS

G. L. HENNEBERT
French Language Editor & Book Review Editor

RICHARD P. KORF
English Language Editor & Managing Editor

SUSAN C. GRUFF
Assistant Editor

Published by

MYCOTAXON, LTD., P.O. BOX 264, ITHACA, NY 14850, USA

Printed in the United States of America

TABLE OF CONTENTS, VOLUME ELEVEN

No. 1 April-June 1980

Gaeumannomyces, *Linocarpon*, *Ophiobolus* and several other genera of scolecospored ascomycetes and *Phialophora* conidial states, with a note on hyphopodia, J. WALKER..... 1
Generic delimitation in the lichen family Thelotremataceae, MASON E. HALE, JR. 130
Sonoran Desert Myxomycetes, MEREDITH BLACKWELL & R. L. GILBERTSON 139
Didymium atrichum, a new myxomycete from south-central Texas, MARY R. HENNEY, CONSTANTINE J. ALEXOPOULOS, & RAYMOND W. SCHEETZ..... 150
Arnium apiculatum (Sordariaceae s. lat.) rediscovered, C. A. SHEARER, D. L. HAWKSWORTH, & S. VON BODMAN..... 165
On *Auriporia* (Aphyllophorales: Polyporaceae), ERAST PARMASTO..... 173
A new species of *Cryptophiale* from Amazonas, M. L. FARR..... 177
A new species of *Exophiala* recovered from loblolly pine litter, BARRY KATZ & MICHAEL R. McGINNIS..... 182
Lycoperdon nettyana, a new puffball from western Washington state, ROBERT W. RAMSEY..... 185
Studies in the Hyaloscyphaceae I: Some species of *Dasyscyphus* on tropical ferns, JOHN H. HAINES..... 189
Parmeliella duplomarginata, a new lichen from New Zealand, AINO HENNSEN & PETER W. JAMES..... 217
Arualis carolinensis Katz, gen. et sp. nov., BARRY KATZ..... 230
Rhytismataceae on salal leaves, RICHARD S. HUNT..... 233
The acanthocyte, a unique cell type in *Stropharia* (Agaricales), DAVID F. FARR..... 241
Contribution to the lichen flora of Uruguay XIV. New or additional records from central Uruguay, HÉCTOR S. OSORIO..... 250
Synonymie de *Entomophthora virulenta* Hall et Dunn et de *Conidiobolus thromboides* Drechsler, J. P. LATGE, D. S. KING, & B. PAPIEROK..... 255
Révision systématique de *Entomophthora aphidis* Hoffm. in Fres. Description de deux nouveaux pathogènes d'aphides, G. REMAUDIÈRE & G. L. HENNEBERT..... 269
Notice: Solheim Mycological Herbarium established..... 322
Révision systématique des genres d'Entomophthoraceae à potentialité entomopathogène, G. REMAUDIÈRE & S. KELLER..... 323
The generic concept in hyphomycetes - a reappraisal, BRYCE KENDRICK..... 339
Some taxonomical considerations on *Candida* and allied genera, ONORATO VERONA & GINO FLORENZANO..... 365
Trichophaea contradicta: a new combination and an emended description for *Patella contradicta* Seaver, HAROLD J. LARSEN... 369
A new spherical spored species of *Coprotus* (Pezizales), JACK L. GIBSON & JAMES W. KIMBROUGH..... 376
Later starting point blues. II. *Dumontinia tuberosa:* The thorny thickets of synonymy and some examples of nomenclatorialism, RICHARD P. KORF & LINDA M. KOHN..... 381
Revue des Livres, G. L. HENNEBERT..... 396

No. 2 July-September 1980

The fruiting and development of *Rhodotus palmatus* in culture, ORSON K. MILLER, JR., JOHN G. PALMER, & LINNEA S. GILLMAN..... 409
New collection and new locality in Chile for *Chlamydopus meyenianus* (Klotzsch) Lloyd (Gasteromycetes), MANUEL MAHÚ..... 420
On the correct author citations for certain species of *Phaeophyscia*, THEODORE L. ESSLINGER..... 423
Tricholoma titans, a new species from Florida, HOWARD E. BIGELOW & JAMES W. KIMBROUGH..... 425
Notes on Corticiaceae (Basidiomycetes) VII. A synopsis of the genus *Amylocorticium* Pouz., KURT HJORTSTAM..... 430
Additions and corrections to the annotated index to fungi described by N. Patouillard, DONALD H. PFISTER..... 435
Notes on hyphomycetes.
XXXVI. A new species of *Custingophora*, G. MORGAN-JONES & ROBERT C. SINCLAIR..... 443
XXXVII. *Arnoldiomyces* nom. nov., G. MORGAN-JONES..... 446
New taxa of Corticiaceae from N. Iran (Basidiomycetes), NILS HALLENBERG..... 447
A new species and a new variety of *Psilocybe* from North America, PAUL E. STAMETS, MICHAEL W. BEUG, JEREMY E. BIGWOOD, & GASTÓN GUZMÁN..... 476
Notes on perithecial development in the Euceratomycetaceae fam. nov. (Laboulbeniales, Laboulbeniineae) and *Herpomyces* (Herpomycetineae), ISABELLE I. TAVARES..... 485
Notice: Mycological Society of America Golden Jubilee..... 493
Revue des Livres, G. L. HENNEBERT..... 494

Author INDEX..... 503
MYCOTAXON publication dates, 10(2) and 11(1)..... 504
Reviewers..... 505
Errata, Volumes 10 and 11..... 505
INDEX to Fungous and Lichen Taxa..... 506

AUTHOR INDEX, VOLUME TWELVE

AGERER, R. Contribution to neotropical Cyphellaceous fungi - II. *Deigloria* gen. nov. (Physalacriaceae) 185-200
AJELLO, LIBERO, ARVIND A. PADHYE & MARIE PAYNE. Phaeohyphomycosis in a dog caused by *Pseudomicrodochium suttonii* sp. nov. 131-136
BENNY, GERALD L. & JAMES W. KIMBROUGH. A synopsis of the orders and families of Plectomycetes with keys to genera 1-91
BERTHIER, J. *Physalacria luttrellii* Baker est une *Typhula* 105-110
BERTHIER, J. Une nouvelle Trémellale clavarioide: *Heterocephalacria solida* gen. et sp. nov. 111-116
BLACKWELL, MEREDITH, ROBERT A. SAMSON & J. W. KIMBROUGH. *Termitariopsis cavernosa*, gen. et sp. nov., a sporodochial fungus ectoparasitic on ants 97-106
BLANTON, RICHARD L. & WILLIAM R. BURK. Notes on *Pseudocolus fusiformis* 225-234
BURK, WILLIAM R., *see* BLANTON & BURK
CANDOUSSAU, FRANÇOISE. Récolte de *Thumenella cubispora* au Gabon 503-508
CARMICHAEL, J. W., *see* SIGLER *& al.*
DICOSMO, FRANK, JOHN MICHAELIDES & BRYCE KENDRICK. *Myrothecium tongaense* anam.-sp. nov. 219-224
DISSING, HENRY & RICHARD P. KORF. Preliminary studies in the genera *Ruhlandiella*, *Sphaerosoma*, and *Sphaerozone* (order Pezizales) 287-306
DUMONT, KENT P. Sclerotiniaceae XVI. On *Helotium rufo-corneum* and *Helotium fraternum* 255-277
DUMONT, KENT P. Leotiaceae II. A preliminary survey of the neotropical species referred to *Helotium* and *Hymenoscyphus* 313-371
FELL, JACK W., *see* YARROW & FELL
GILBERTSON, ROBERT L. North American wood-rotting fungi that cause brown rots 372-416
GRAY, DENNIS J., *see* MORGAN-JONES & GRAY
GUZMÁN, GASTÓN. Three new sections in the genus *Naematoloma* and a description of a new tropical species 235-240
GUZMÁN, GASTÓN. Distribution of *Amanita nauseosa* 522-524
HALLENBERG, NILS. Basidium repetition in *Confertidium* (Corticiaceae, Basidiomycetes) 468-472
HALLENBERG, NILS. Synopsis of wood-inhabiting Aphyllophorales (Basidiomycetes) and Heterobasidiomycetes from N. Iran 473-502
HENNEBERT, G. L. Revue des Livres 307-311, 531-534
HJORTSTAM, KURT & LEIF RYVARDEN. Studies in tropical Corticiaceae (Basidiomycetes) II 168-184
HOLUBOVÁ-JECHOVÁ, VĚRA. *Botryobasidium chilense* sp. nov., a teleomorph of *Haplotrichum chilense* 117-121
HOLUBOVÁ-JECHOVÁ, VĚRA. Revision and subdivision of *Haplotrichum* - anamorphs of *Botryobasidium* 122-130
JOOSTE, W. J. & M. C. PAPENDORF. *Phoma cyanea* sp. nov. from wheat debris 444-448
KENDRICK, BRYCE, *see* DICOSMO *& al.*
KIMBROUGH, JAMES W., *see* BENNY & KIMBROUGH
KIMBROUGH, J. W., *see* BLACKWELL *& al.*
KOHN, LINDA M. Additions to the fungus flora of Bermuda I: a new species of *Lachnellula* on *Pittosporum* 278-280
KORF, RICHARD P., *see* DISSING & KORF
LUTHER, BRIAN S. & SCOTT A. REDHEAD. *Crepidotus cinnabarinus* in North America 417-430
MICHAELIDES, JOHN, *see* DICOSMO *& al.*

MORGAN-JONES, G. Notes on hyphomycetes. XXXIX. *Cylindrothecium curvatum* sp. nov. 249-252
MORGAN-JONES, G. & DENNIS J. GRAY. Notes on hyphomycetes. XXXVIII. *Sepedonium ampullisporum* and *Sibirina lutea* sp. nov. 241-248
PADHYE, ARVIND A., *see* AJELLO *& al.*
PAPENDORF, M. C., *see* JOOSTE & PAPENDORF
PAYNE, MARY, *see* AJELLO *& al.*
PEGLER, D. N. & R. SINGER. New taxa of *Russula* from the Lesser Antilles 92-96
PETERSEN, RONALD H. Type studies in the Clavariaceae. VI. Four pivotal types from the Pacific tropics 281-286
PONS, N., *see* SUTTON & PONS
REDHEAD, SCOTT A., *see* LUTHER & REDHEAD
RHODES, LANDON H., *see* WALKER & RHODES
RYVARDEN, LEIF, *see* HJORTSTAM & RYVARDEN
RYVARDEN, L., *see* SCHUMACHER & RYVARDEN
SAMSON, ROBERT A., *see* BLACKWELL *& al.*
SCHUMACHER, T. & L. RYVARDEN. *Dipodascus polyporicola* nov. sp., a parasitic hemiascomycete on *Piptoporus soloniensis* 525-530
SIGLER, LYNNE, A. TSUNEDA & J. W. CARMICHAEL. *Phaeotheca* and *Phaeosclera*, two new genera of dematiaceous hyphomycetes and a redescription of *Sarcinomyces* Lindner 449-467
SUTTON, B. C. & N. PONS. Notes on the original species of *Cercosporina* 201-218
TAVARES, ISABELLE I. Notes on Argentinian Laboulbeniales, with a description of a new genus, *Benjaminella* 431-443
TRAPPE, JAMES M., *see* WALKER & TRAPPE
TSUNEDA, A., *see* SIGLER *& al.*
WALKER, CHRISTOPHER & LANDON H. RHODES. *Glomus albidus:* a new species in the Endogonaceae 509-514
WALKER, CHRISTOPHER & JAMES M. TRAPPE. *Acaulospora spinosa* sp. nov. with a key to the species of *Acaulospora* 515-521
YARROW, D. & JACK W. FELL. Validation of the name of the yeast *Sporobolomyces holsaticus* 253-254

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME TWELVE

This index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa are in **boldface** as are the pages where they are published. New suprageneric taxa are in bold **CAPITALS.**

Abstoma 8
Acanthostigma clintonii 147, 163; minutum 163, 164; nectrioideum 147, 159, 163, 164; scopula 164
Acanthostigmella 147; genuflexa 147
Acanthostigmina 145, 147, 162, 164; minuta 147, 163
Acaulospora 513–515, 519; bireticulata 519–521; elegans 519–521; foveolata 519, 521; gerdemannii 520; laevis 519, 520; scrobiculata 521; **spinosa 515,** 516, 519–521; trappei 520
Acia subochracea 487
Acladium 123
Acremonium 25, 26
Acrodictys 152
Acrospermum 138
Actinodendron 15, 53
Actinospira 21, 86
Aegeritella superficialis 101
Agaricus bisporus 13; squamosus 235
Agyrium 296
Ajellomyces 15–17, 20, 53, 59, 86; dermatitidis 20
Albertinella 32, 53, 87; polyporicola 53; reticulata 53
Allescheria 53, 60, 86; gayonii 53
Allescheriella 123; crocea 123
Allonecte 139; lagerheimii 139
Alternaria 152, 464
Alysidium 123
Amanita 522; aureofloccosa 522, 523; nauseosa 522, 523; praegraveolens 523
Amauroascus 16, 18, 53, 67, 86; verrucosus 18
Amaurodon viride 491
Ambrosiozyma 49–51, 54; monospora 50
Amorphotheca 49, 50, 53, 54, 87; resinae 53
Amphimyces 433
Amylocarpus 54, 87; encephaloides 54
Amylocystis 374, 382; lapponica 382, 397
Amylosporus 381; graminicola 374, 381, 397
Anixiella 54, 87; endodonta 54
Anixiopsis 11, 12, 14, 54, 71, 86; stercoraria 14
Annajenkinsia 141; fungicola 141
Anthurus javanicus 228, 230; trifidus 228
Antrodia albida 492; lindbladii 475, 479, 492; semisupina 492
Aphanoascus 11, 26, 30, 54, 86; cinnabarinus 30
Aphelaria 115
Apinisia 15, 19, 54, 86; graminicola 19
Apodus 54, 87; deciduus 54; oryzae 54
Aporomyces 431, 440; **perpusillus** 431, 434, **440,** 441; szaboi 441; trinitatis 441
Aporothielavia 33, 54, 86; leptoderma 33
Aposphaeriopsis 54, 86
Arachniotus 15–17, 19, 54, 58, 61, 66, 67, 70, 86; dankaliensis 70; ruber 19
Arachnomyces 11, 13, 54, 86; nitidus 13
Arachnotheca 16, 18, 54, 62, 86; glomerata 19
Argynna 31–33, 54, 55, 87; polyhedron 54
Arrhenosphaera 36–38, 55, 86; cranei 36
Arthroascus 50
Arthroderma 15, 16, 18, 20, 55, 86; curreyi 20
Arthrographis 44, 46
Asaphomyces 433
Ascocalvatia 11, 14, 55, 86; alveolata 14
Ascodesmis 9, 16, 59
Ascoidea 49
Ascorhiza 39, 40, 55, 86; leguminosarum 40
Ascoscleroderma 8, 55, 87
Ascosphaera 4, 35–38, 55, 86; aggregata 37; alvei 37; apis 38; v major 37; fimicola 37; proliperda 37
ASCOSPHAERALES 34
Aspergillus 25–27
Asteromella 142, 145
Asterula cornicullariformis 344
Athelia 177, 482; arachnoidea 482; decipiens 475, 482; epiphylla 480, 482
Aurantioporus alborubescens 475, 492; fissilis 492
Aureobasidium pullulans 464, 465
Auricularia mesenterica 480
Auriculariopsis ampla 475, 479, 482
Auxarthron 15, 16, 21, 55, 63, 86; californiense 21

Backusia 39, 40, 55, 86
Barlaeina 299
Basidiodendron eyrei 500
Batistia 31, 32, 55, 87; annulipes 55
Battarrina 55, 87; inclusa 55
Belonidium lasiopodium 345; sclerogenum v musicola 355, 356
Benjaminella 431–433, 436–438; **melanophthalmae** 431, **433,** 434, 436, 437; **perpusilla** 431, 434, **436;** platensis 431, 434, 436, **437,** 438, 440; **pumila** 431, 434, 436, **437**
Berlesiella 139
Bertia moriformis 156
Bettsia 36–38, 55, 86; alvei 37, 38
Bisporella 313, 316, 329, 333, 344, 358, 359; citrina 316; discedens 316, 333, 334, 344; sulfurina 334, 344

Bjerkandera adusta 476, 480, 481, 492; fumosa 492
Blastomyces dermatitidis 17
Boerlagella 139; indica 139
Boerlagiomyces 139; laxus 139; velutinus 139
Boletus 242, 244; bicolor 244
Bombardia 55, 87
Boothiella 56, 87
Botryoascus 49-51
Botryobasidium 119, 122, 124, 127, 130; subg Brevibasidium 119, 122; aureum 128, 482; botryosum 476, 482; candicans 119, 127, 482; chilense 117, 119, 120, 128; conspersum 128, 482; croceum 123; curtisii 129, 476, 482; ellipsosporum 128; grandinioides 476, 482; laeve 482; lembosporum 129; medium 127; obtusisporum 475, 482; robustius 129; simile 130; subcoronatum 476, 482
Botryohypochnus isabellinus 482
Boudiera 287-289, 302
Bourdotia galzinii 475, 480, 481, 500
Brevicellicium 168, 170, 172; allantosporum 168-170; exile 170-172; mellinum 168; molle 168-170; olivascens 170-172, 482; uncinatum 168-171, 172; viridulum 168
Buergenerula 142
Byssoascus 16, 18, 45, 46, 56, 65, 86; striatisporus 18
Byssocallis 139, 141; capensis 139; phoebes 139
Byssochlamys 29, 56, 86
Byssomerulius corium 481, 482
Byssosphaeria helicophila 159

Calocera cornea 500
Calonectria 148; aurea 156; belonospora 154; cerea 154; effugiens 152; fulvida 154; graminicola 140
Calycella 329, 333; citrina 332
Campanella conchata 188
Candida 69
Capsulotheca 56, 86, 87
Carothecis 56, 86
Carpenteles 31, 56, 60, 86
Carpophoromyces 440
Castoreum 8
Celtidia 56, 71, 87; duplicispora 56
Cenococcum 7, 56; graniforme 6, 7
Cephaloascus 49-51
Cephalosporium 32
Cephalotheca 31-33, 54, 56, 58, 86; paleacarum 56; splendens 53; sulfurea 31-33
Ceraceomerulius serpens 483
Ceraceomyces borealis 476, 483
Ceratobasidium cornigerum 479, 483
Ceratocarpia 56, 87; cactorum 56
Ceratocystis 4, 48-53, 56, 86; gr Fimbriata 49, 52; gr ips 53; gr Minuta 52; gr Pilifera 53; adiposa 51; fimbriata 52
Ceratocystopsis 49, 52, 56, 86; minuta 52
Ceratostoma caulincola 62
Cercoseptoria 215
Cercospora 201-203, 205, 206, 208, 210-216; abchazica 206; albido-maculans 212; apii 202, 216; arborescentis 209; asparagi 203, 204; asparagicola 204; canescens 205; caracallae 205, 206; daturicola 206; dipsaci 208; elongata 206, 208; hydrangeae 206, 209; hydrangeana 209; hydrangeicola 209; ilicicola 211; jatrophae 210; jatrophaecurcas 210; jatropharum 210; knautiae 208; pachyderma 201, 203; physalidicola 212; physalidis 212; pudicae 213; ricinella 213; ricini 212; scabiosicola 208; sordida 215; sphaeralceicola 206, 214; stenolobilcola 215; tecomae 215; tecomicola 215; tetragoniae 206, 216
Cercosporidium 202
Cercosporina 201-203, 209, 212; asparagicola 201, 203, 204; caracallae 204, 205; daturicola 205, 206; elongata 208; hydrangeicola 209; ilicicola 211; jatrophicola 210; mate 210; physalidicola 211, 212; ricinella 212, 213; scabiosicola 208; sensitivae 213; sphaeralceicola 214; stenolobilcola 215; tetragoniae 216
Ceriporia alachuana 476, 479, 492; excelsa 492; purpurea 481, 492; reticulata 492; viridans 476, 492
Cerrena unicolor 476, 493
Chadefaudia 51, 52, 56, 87; marina 52
Chadefaudiella 42, 47, 56, 86; quezelii 47; thomasii 47
CHADEFAUDIELLACEAE 46
Chaetoderma 377; luna 377, 397
Chaetomidium 56, 57, 63, 69, 87; arxii 32
Chaetomium 42, 57
Chaetosartorya 29, 57, 61, 86; chrysella 29
Chaetotheca 57, 87; fragilis 57
Chalara 48, 50
Chlorencoelia 313, 316, 342, 344
Chloridium 249
Chlorociboria 313, 317, 318; aeruginascens 316
Chlorospienium 317; aeruginascens 317
Chondrostereum purpureum 483
Chromocreopsis 507
Chrysosporium 14, 17, 36, 57, 70; farinaecola 37
Ciboria cerea 326, 328; peckiana 273; velhaensis 369
Ciboriopsis 326, 359, 365; lentus 326
Cladobotryum 246; curvatum 246
Cladosporium 464, 465; herbarum 464, 465
Clathrus columnatus 230
Clavaria 282, 284, 285; subg Clavulinopsis 282; alcicornis 281, 282; amoena 281-283, 285; aurantia 283; helvola 283; luteo-tenerrima 283; miniata 284; pallidorosea 282; phoenicea 281, 283, 285; spiralis 281, 284, 285; zollingeri 282

Clavulinopsis 282, 284, 285; amoena 283; aurantia v macrospora 284; aurantio-cinnabarina f amoena 283; luteo-tenerrima 283; miniata 284; v sanguinea 284
Cleistobombardia 57, 87
Cleistosoma 57
Cleistotheca 57, 86, 87
Cleistothelebolus 57, 59, 71, 87; nipigonensis 57
Clitocybe aurantiaca 395
Coccidioides 454; immitis 456
Coltricia spathulata 476, 497
Columnocystis 394; abietina 394, 397; ambigua 394, 397; pimeriensis 394, 397
Colus fusiformis 227; garciae 228; javanicus 228; schellenbergiae 228, 232
Conferticium 468, 469; insidiosum 468, 470, 472, 475, 483; karstenii 468, 470; ochraceum 468, 471, 472, 477, 483
Coniochaeta 57
Coniochaetidium 57, 61, 87
Coniophora 372, 374, 378; arida 379, 397; cerebella 378; eremophila 378, 397; fusispora 378, 397; montana 380; olivascens 379; puteana 374, 378, 397, 476, 479, 491; sororia 379; suffocata 379, 397
Coniophorella 372, 374, 378; olivacea 378, 398
Coniosporium 460
Coniothecium 457, 464; atrum 457; crustaceum 456; epidermidis 464
Connersia 33, 34, 57, 86; rilstonii 34
Coprinus 395; atramentarius 373, 395, 398; micaceus 395, 398
Copromyces 57, 87
Coprotus 36
Cordierites 344
Coreomycetopsis oedipus 101
Corethromyces scydmaenicola 440
Coriolellus 382; carbonarius 382, 398; heteromorphus 383, 398; malicola 374, 383, 398; sepium 383, 398; serialis 383, 398; variiformis 383, 399
Coriolopsis floccosa 476, 493; gallica 493
Corticium confluens 70; exile 170; microsporum 526
Corynascella 58, 87; humicola 58
Crepidotus 421, 428; sect Cinnabarini 419; cinnabarinus 417-428; decurrens 417, 419-421, 423, 428; variabilis 421
Crepinula 58, 86
Cristella sulphurea 490
Cristinia helvetica 476, 483
Cronartium coleosporioides 449, 454
Crustoderma 377; dryinum 377, 399; resinosum 372, 377, 399
Cryptendoxyla 32, 33, 58, 86; hypophoia 33
Cryptosphaeria 140
Ctenomyces 15, 16, 20, 58, 86; serratus 20
Cudoniella javanica 342
Cyanoderma 138
Cyathus stercoreus 230
Cylindrobasidium evolvens 483
Cylindrotrichum 249, 250; album 249; clavatum 250; curvatum 249, 250-252; ellisii 250; hennebertii 250, 252; inflatum 249; oblongisporum 250; oligospermum 249, 252; proliferum 249, 250; repens 249; triseptatum 249; zignoëllae 250
Cystostereum heteromorphum 475, 483; stratosum 476, 483; subabruptum 475, 479, 480, 483

Dacrymyces minor 475, 500
Dacryobolus 374, 377; karstenii 377, 399; sudans 377, 399, 475, 480, 483, 526
Dactylomyces 24, 26, 30, 58, 86; thermophilus 30
Datronia stereoides 475, 493
Deconica alnetorum 239; cokeriana 239
Daedalea 381, 383; berkeleyi 383, 399; juniperina 373, 383, 399; quercina 373, 384, 399, 479, 480, 493
Daedaleopsis confragosa 493
Deigloria 185, 186. 188, 189; amoena 185, 188, 189, 190, 192, 195, 196, 200; modesta 185, 189, 190, 192-196; pulchella 185, 186, 189, 190, 192, 194, 195, 196; pulcherrima 185, 188-190, 192, 195, 196, 198, 200
Dendrosphaera 11, 22, 58, 86; eberhardtii 22, 23
DENDROSPHAERACEAE 22
Dendrothele acerina 483
Dermapteromyces 433
Dexteria 58, 87
Dextrinodontia 168, 172; molliuscula 168, 172, 173
Dialonectria fulvida 154
Diatrype stigma 156
Dichlaena 26, 27, 58, 86; lentiscii 27
Dichotomomyces 11, 13, 58, 68, 86; cejpii 13
Dictyotrichiella 139
Didymium 58, 87
Didymotrichia 140
Diehliomyces 11-13, 58; microsporus 12, 13
Dimeromyces isopterus 101
Dingleya 302
Diplogelasinospora 58, 87
Diplostephanus 58, 86
Dipodascopsis 12, 50
Dipodascus 12, 50, 61, 525, 526; aggregatus 12; australiensis 528; polyporicola 525, 526-528; uninucleatus 12
Disarticulatus 16, 19, 58, 86
Donkia pulcherrima 475, 483
Doratomyces 41
Drepanospora pannosa 161
Dryophila 235

Echinopodospora 58, 87
Ecteinomyces 440; perpusillus 431, 440; pusillimus 431, 440
Edyuilla 26, 59, 61, 86; athecia 26

Eichleriella spinulosa 480, 500
Eldamella 15, 16, 21, 59, 86
Eiona 59, 87
Elaphomyces 6, 7, 12, 55, 56, 59, 87; cyanosporus 8; granulatus 6, 7; persoonii 7
Eleutherascus 16, 59, 62, 87; lectardii 16
Emericella 26, 28, 57-59, 62, 86; variecolor 28
Emericellopsis 31, 33, 56, 59, 66, 68, 86; terricola 34
Emmonsiella 16, 17, 20, 59, 86
Encoelia 313, 315, 353
Endocronartium 449; harknessii 454, 457, 458, 461
Endomyces 12, 49, 50, 61, 525, 526; decipiens 50; geotrichum 12, 61; reessii 12, 61
Endomycopsis 50
Enterocarpus 42, 44, 59, 86; uniporus 44
Eosphaeria 31, 87
Eoterfezia 59, 87; parasitica 59
Ephemeroascus 60, 87
Eremodothis 60, 87; angularis 60
Eremomyces 67, 87; bilateralis 67
Eriomycopsis 139, 140
Erysiphe 123
Eupenicillium 26, 29, 56, 60, 86; crustaceum 29
Euphoriomyces 440
Europhium 48, 49, 51-53, 60, 86
EUROTIALES 23
Eurotiella 60, 86
Eurotiopsis 60, 86, 87
Eurotium 26, 28, 59-61, 65, 86; diplocystis 65; herbariorum 28; pulcherrimum 42, 63
Eutypa 156
Eutypella 156
Exidia glandulosa 500; thuretiana 500
Exidiopsis effusa 500; grisea 480, 481, 500; molybdea 500
Exogone 296; kaiseriana 297
Exophiala werneckii 457

Fairmania 60, 86; singularis 60
Faurelina 4, 42, 45-47, 60, 63, 86; elongata 60; fimigenes 46, 47
Fennellia 26, 28, 60, 86; flavipes 28
Fibriciellum 172; silvae-ryae 172
Fibricium 172, 175; **coriaceum** 168, **174**, 176; lapponicum 174, 175; **multicystidium** 168, **175**, 176; rude 175
Fibrodontia 172; gossypina 475, 483; subceracea 476, 483
Fibulomyces septentrionalis 475, 484
Fissuricella filamenta 456
Fistulina 380; hepatica 380, 400
Fleischhakia 61, 87
Fomes annosus 493; cajanderi 384; fomentarius 476, 478, 480, 481, 493; meliae 385; officinalis 384; pinicola 384; roseus 384; subroseus 384
Fomitopsis 381, 384; cajanderi 384, 400; cytisina 494; **meliae** 372, 373, **385**, 400; officinalis 373, 384, 400; pinicola 373, 384, 400, 476, 480, 493; rosea 384, 400
Fragosphaeria 31, 33, 61, 86; purpurea 33
Fumago 462, 465; vagans 464, 465

Galactomyces 9, 12, 61, 526
Galzinia incrustans 481, 484; longibasidia 476, 484
Ganoderma 421; adspersum 497; applanatum 497; australe 475, 480, 497; europaeum 497; lucidum 480, 497; manoutchehrii 476, 497; resinaceum 475, 497
Gelasinospora 54
Geophila 235
Geotrichum 526; candidum 12
Germslitospora 61, 87
Gigaspora 513, 514
Gliocladium 25, 26, 68
Gloeocystidiellum 468; insidiosum 483; lactescens 468, 469, 471, 479, 484; ochraceum 483; porosum 479, 480, 484
Gloeodontia columbiensis 476, 484
Gloeophyllum 381, 385; saepiarium 385, 401, 477, 493; striatum 385, 401; trabeum 385, 401
Gloeoporus dichrous 476, 479, 493; pannocinctus 476, 479, 493
Glomus 513; **albidus 509**, 510, 512, 513; clarus 512, 513; gerdemannii 512, 513; occultus 512, 513; pallidus 512, 513
Graphium 41, 44
Graphostroma platystoma 156
Grifola frondosa 493
Guelichia 141
Guilliermondia 61, 87
Gymnascella 16, 21, 61, 86; aurantiaca 61; reessii 61
Gymnoascoides 61
Gymnoascoideus 16, 21, 61, 86
Gymnoascopsis 61, 87
Gymnoascus 15, 16, 18, 21, 61, 63-65, 70, 86; reessii 21; uncinatus 70
Gymnoeurotium 27, 61, 86

Hamigera 30, 61, 86; avellanea 30
Hansenula 49
Hapalopilus nidulans 493
Haplotrichum 117, 119, 122-127, 130; subg **Fibulinum** 124, 126, **127**; subg Haplotrichum 124-127; sect **Avesiculata** 126, **128**; sect **Biformia** 126, **130**; sect **Catenulata** 126, **128**; sect Haplotrichum 126, 127; sect **Vesiculata** 126, **129**; subsect **Ellipsoidea** 126, **128**; subsect **Multidenticulata** 126, **127**; subsect **Paucidenticulata** 126, **128**; subsect **Ramosa** 126, **129**; subsect **Simplicia** 126, **129**; subsect **Sphaeroidea** 126, **129**; album 125, 127, 128; aureum 125, 128; capitatum 119, 121, 125, 127; caribense 129; chilense 117-121, 128; conspersum 124, 125, 128, 482; curtisii 129; ellipsosporum 125, 128;

[Haplotrichum] gracile 125, 129; linderi 129; magnisporum 129; medium 122, 125, 127; ochraceum 121, 128; ovalisporium 125, 129; pulchrum 125, 129; ramosissimum 125, 129; rubiginosum 125, 129; simile 124, 125, 130; sphaerosporum 129; tenerum 124, 129; tomentosum 129; vesiculosum 129
Hapsidospora 32, 34, 61, 86; irregularis 34
Harpezomyces 29, 61, 86
Heleococcum 62, 68, 87; aurantiacum 62; japonense 62
Helicobasidium 376; corticioides 376, 401
Helicogonium 525; jacksonii 526
Helicoma 145, 148, 157; curtisii 148, 159, 161; muelleri 148, 159, 161
Helicomyces 149, 154; aureus 164; curtisii 159; muelleri 159
Helicosporium 145, 146, 148, 151, 163; aureum 163, 164; elinorae 161, 162; indicum 162; muelleri 159; nematosporum 148, 161; nizamabadense 162; olivaceum 164, 165; pannosum 148, 161, 162; phragmitis 148; pilosum 164; roseum 153; serpentinum 161; tiliae 159, 161; vegetum 148, 154, 155; viride 162
Helotium 255, 276, 313, 314, 317, 328, 334, 338, 342, 348, 350, 355, 359, 365, 368; aeruginosum 316, 317; alboatrum 318, 320; ambiguum 321; angelense 321; atrosubiculatum 315, 321; atroviride 321, 322, 332; aurantio-rubrum 255, 256, 271, 322, 355; bambusae 322, 323; belisense 323; blumenaviense 314, 323; buccina 317, 323, 324; calyculus 317, 324; camerunense 255, 256, 271, 317, 324, 325; v brasiliense 255, 256, 261, 324, 325; cantareirense 317, 325; caracassense 315, 325, 369; castaneum 326, 361; caudatum 326; cecropiae 315, 326; cereum 326; chromo-flavum 315, 328; citrinum 328; conocarpi 329; crocatum 321, 322; crocinum 316, 332, 333; cupreum 317, 333, 350; discedens 333; discula 334; disseminatum 314, 334; epiphyllum 334, 336, 337; fastidiosum 273, 276; flavo-aurantium 256, 315, 338, 339; fraternum 255, 256, 273, 276; fusco-brunneum 339, 341; fuscopurpureum 255, 256, 261, 271, 315, 341, 342, 355; gedeanum 316, 342, 343, 345; hyphicola 316, 344; irregulare 317, 344, 345, 350; lasseri 345, 348, 349; lentum 326, 365; leucopse 326, 333, 344, 349, 350, 353, 359; leucopus 350, 352; lividum 352, 353; lobatum 316, 353; luteum 353, 354; microspermum 321, 326, 359; miniatum 255, 256, 261, 271, 315, 354, 355; miserum 355; monticola 354; nigripes 355; v brasiliense 358; ombrophiloides 358; palliduium 358; persoonii 358, 359; pezizoideum 316, 359; phlebophorum 315, 359; radicola 359; rhytidodes 317, 359; rufo-corneum 255, 256, 269-272, 322, 325, 338, 342, 355, 360-362; scutula 360; serotinum 360; singeri 315, 360, 361; sloaneae 255, 256, 272, 361; spadiceo-atrum 328, 361; subcastaneum 361; subserotinum 255, 256, 261, 270, 271, 315, 361; subturbinatum 362; sulfurellum 362; tectum 362; titubans 321, 323, 362, 364, 365; uleanum 315, 365; umbilicatum 365, 368; velhaense 369; vile 315, 369; viridi-flavum 369
Hemiascosporium 16, 59, 62, 87; spinulosum 16
Hemicarpenteles 26, 27, 62, 86; paradoxus 27
Hemisartorya 26, 27, 62, 87; maritima 27
Hericium coralloides 498
Herpotrichia 146; pezizula 157
Herpotrichiella 146
Heterobasidion annosum 477, 493
Heterocephalacria 112, 114, 115; solida 111-113, 114, 115
Heterochaetella dubia 500
Heteroporus biennis 477, 494; fractipes 476, 494
Heteroscypha 112, 115
Hexagonella 62, 87
Hirneola auricula-judae 478, 480
Hirschioporus pargamenus 496
Histoplasma capsulatum 17
Homaromyces 433
Honoratia 62, 87
Hormiscioideus filamentosus 101
Hormoascus 49
Hormoconis resinae 50, 53
Hormodendron resinae 50
Hormomitaria 186
Hormonema dematioides 452
Hygrophoropsis 395; aurantiacus 372, 395, 401
Hymenochaete cinnamomea 480, 497; corrugata 497; rubiginosa 479, 480, 497; tabacina 497
Hymenoscyphus 255, 271, 273, 276, 313, 314, 316, 320, 328, 332, 342, 348, 350, 355, 356, 359-362, 365, 368, 369; camerunensis 256; caudatus 270, 317, 321, 324, 328, 352; cereus 317, 321, 326, 327; crocatus 329; epiphyllus 316, 328, 335, 336, 368; fraternus 273; fuscopurpureus 256; javanicus 342, 345; lasiopodius 317, 325, 345, 356, 369; leucopsis 317, 321, 349, 350, 358; miniatus 256; musicola 317, 355, 356; rufocorneus 256, 261; sclerogenus 272, 317, 324, 325, 356, 360, 369; scutula 317, 360; serotinus 273, 317, 324, 362; spadiceo-ater 361; subserotinus 256; titubans 362, 365; umbilicatus 316, 368; velhaensis 369
Hyphoderma 175; argillaceum 484; cremeoalbum 484; echinocystis 476, 484; litschaueri 475, 484; mutatum 484;

[Hyphoderma] pallidum 484; praetermissum 476, 484; puberum 484; roseocremeum 484; sambuci 480, 481; setigerum 480, 481, 484; tenue 484; transiens 475, 480, 485
Hyphodermella 180; corrugata 475, 485
Hyphodontia 178, 180; arguta 485; crustosa 480, 485; juniperi 475, 479, 485; nespori 485; quercina 481, 485; f coralloides 485; sambuci 484; spathulata 475, 485; subalutacea 476, 485; verruculosa 178
Hypochnicium 168, 176, 177; ovoideum 168, 176, 177, 485
Hypochnicium 177; caucasicum 475, 485; polonense 485
Hypocrea 55; cubispora 507
Hypopichia 49
Hypoxylon 156

Incrustoporia nivea 480, 494
Inzengaea 62, 86
Ionomidotis 341
Irpex lacteus 479, 494

Jafneadelphus 299
Junghunia nitida 494

Keratinophyton 11, 14, 62, 86; terreum 14
Kernia 41, 42, 44, 62, 63, 86; nitidia 44
Kuehniella 16, 19, 62, 86

Laasiomyces 62, 66, 87; microscopicus 62
Laboulbenia 432
Laboulbeniopsis termitarius 101
Lachnellula 278; **pittospori 278,** 279
Laeticorticium roseum 476, 479, 485
Laetiporus 374, 381, 385; **persicinus** 372, **385,** 401; sulphureus 373, 385, 401, 479, 494, 525, 528
Lambertella 313, 320, 323, 328, 348, 360; belisensis 323; boliviana 323; chromoflava 361; **lasseri** 315, 346, 347, **349;** microspora 315, 321, 325, 353, 360, **369;** pallidospora 321, 325, 361, 369; phaeoparaphysata 328, 361; **spadiceo-atra** 315, **361;** tropicalis 348
Lamprospora ovalispora 301
Lanzia 255, 272, 320, 352, 359; **alboatra** 315, 318, **320,** 321; cantareirensis 325; flavo-aurantia 255, 256, 261, 271, 338; **livida** 315, **352,** 353; luteovirescens 320, 321; **rufocornea** 258–260, **272,** 273, 315, 322, 325
Lasiobolidium 59, 62, 71, 87; orbiculoides 62
Lasiobolus monascus 70
Lasiosphaeria 162; elinorae 162; helicoma 161; minuta 147, 163, 164; nematospora 148, 159, 161, 162; pezizula 148, 157, 161; scopula 164
Laxitextum bicolor 485
Leiothecium 39, 40, 62, 86; ellipsoideum 40
Lentinus 396; kauffmanii 373, 396, 402; lepideus 396, 402; ponderosus 396, 402; sulcatus 396, 402
Lenzites betulina 494; saepiaria 385; striata 385; trabea 385; warnieri 475, 494
Lepidosphaeria 32, 55, 71, 87
Lepiota nauseosa 522
Leptoporus lowei 393
Leptosporomyces 177; ovoideus 168, 177, 485
Letendraea 140; helminthicola 140; lasiosphaerioides 140; luteola 140; padouk 140; rhynchostoma 140; rickiana 140
Leucocoprinus birnbaumii 523
Leucogyrophana 372, 378, 379; arizonica 380, 402; cremeoisabellina 177; mollis 177; mollusca 380, 402; montana 379, 402; olivascens 379, 402; pinastri 379, 402; pulverulenta 379, 402; romellii 380, 402; sororia 379, 403; subilliaqueata 177
Leuconeurospora 32, 42, 46, 62, 63, 87; elongata 47, 60, 63
Leucosphaera 33, 63, 86; indica 33
Leucothecium 11, 14, 63, 87; emdenii 14
Levispora 63, 86; terricola 63
Lilliputia 30, 63, 68, 86
Lopharia heterospora 477, 485; spadicea 475, 480, 485
Lophiostoma dacryosporum 142
Lophotrichus 41, 45, 63, 86; ampullus 45

Macronodus 16, 21, 63, 86
Magnusia 44, 63, 86
Magnusiomyces 526
Malbranchea 17, 456
Marchalliella 31, 63, 71, 87
Mattirolella 97, 99, 101
Meionomyces 440
Melanocarpus 63, 64, 87
Melanoleuca vulgaris 421
Melanomma helicophilum 157
Melanospora 64
Melioliphila 139, 140; volutella 140
Meizerodontia 168, 177; aculeata 168, 178, 179
Menispora cylindrosperma 249
Merimbla 25, 26
Meripilus giganteus 494
Merulius aureus 376; himantioides 380; lacrimans 380; molluscus 380; pinastri 379; tremellosus 476, 486
Mesophellia 7, 63
Metabourdotia 111, 115
MICROASCALES 40
Microascus 40–44, 60, 63, 65, 66, 86; doguetii 60; exsertus 41; longirostris 44; singularis 60
Microeurotium 59, 63, 64, 87; albidum 63
Microsporon 20, 67
Microthecium 64, 67, 87
Moellerodiscus 313, 315, 326, 329, 337, 341, 359, 365; conocarpi 315; **fuscobrunneus** 315, 340, **341;** guttulatus 341; lentus 315, 326, 337, 359; musae 333, 341

Mollisia 353
Monascus 2, 4, 35, 38-40, 55, 64, 86; ruber 40, 53
Monilia ochracea 121
Monodictys 145, 149, 152
Mucronella calva 498
Muiogone 97, 99
Mycoacia 486; aurea 486; stenodon 486; uda 480, 486
Mycoaciella 172; bispora 475, 486
Mycoarachis 32, 64, 69, 87; inversa 32
Mycocentrospora acerina 131
Mycogala 64, 87
Mycorhynchidium 64, 87
Mycorhynchus 64
Myrillium 64
Myriococcum 64, 87; albomyces 63, 64; praecox 64
Myriogonium 525; odontiae 526
Myrothecium 219, 220; cinctum 223; roridum 223; **tongaense** 219, **220**, 223; verrucaria 223
Myxarium podlachicum 500
Myxotrichum 15, 16, 21, 59, 64, 65, 69, 86; cancellatum 69; chartarum 21, 70

Naematoloma 235, 236, 239; sect **Cokeriana 238**, 239; sect Cyanoloma 236, 239; sect Fasciculoria 236; sect Naematoloma 236, 239; sect **Neocaledoniae 236**, 239; sect Psilocybioides 236, 239; sect **Rhombisporae 237**, 239; sect Stropholoma 236; sect Tenacia 236; **aequatoriae 237**, 238; **ainetorum 239**; **cokeriana 238**, 239; dispersum 236; **naematoliformis 236**, 237; **neocaledonica 236**, 237; popperianum 236; **rhombispora 237**, 238; squamosa 236; subiaterium 236
Nannizzia 15, 16, 20, 65, 67, 68, 86; gypsea 20
Narasimhella 15, 16, 19, 65, 67, 86; hyalinospora 19; poonensis 68
Nectria 60, 140; fulvida 154, 156; paludosa 151
Nematogonum 123
Neogymnomyces 21, 65, 86
Neosartorya 26, 28, 62, 65, 68; fischeri 28, 62
Neotestudina 32, 55, 65, 67, 69, 71, 87; rosatii 65
Neoxenophila 11, 14, 65, 87; foetida 11, 14
Nephrospora 65, 86
Nigroporus niger 476, 479, 494
Nigrosabulum 32, 34, 65, 69, 86; globosum 34

Odontia corrugata 485; olivascens 170; sudans 377
Odonticium 180
Odontiopsis 168, **180**; **hyphodontina** 168, 179, **180**
Oidiodendron 17
Oidium 123; chilense 117, 118; lanosum 123; macrosporum 123; ochraceum 117, 121; tenellum 123
Oliveonia subfibrillosa 476, 486
Olpitrichum 123
Oneocladium flavum 15, 53
Ononotus 373, 529; cuticularis 479, 497; hispidus 477, 497; nidus-pici 475, 479, 497; obliquus 498; pseudohispidus 477, 498
Onygena 10, 11, 13, 22, 65, 87; corvina 11; equina 13
ONYGENALES 8
Onygenopsis 65
Oomyces 138
Ophioceras dolichosporum 138
Ophionectria 146, 148; anceps 152; anonae 154; belonospora 154, 156; v unicaudata 154; briardi v longipila 154; cerea 146, 148, 154, 157; cupularum 154; cylindrothecia 146, 152, 153; episphaeria 154; everhartii 154, 156; palmarum 156; paludosa 151; trichospora 146
Ophiostoma 48-52, 60, 65, 86; gr Ips 49; gr Minuta 49; gr Pilifera 49; pilifera 53
OPHIOSTOMATALES 48
Orbicula 58, 59, 64, 65, 71, 87
Orbilia 313, 314, 323, 334, 358, 359
Osmoporus 382; odoratus 382, 403
Osteina 381; obducta 381, 403
Oxyporus latemarginatus 475, 494; populinus 494

Pachydisca umbilicata 365, 367-369
Pachyphloeus 288-290
Pachysolen 49
Paecilomyces 25, 26, 29, 30
Panellus stipticus 421
Panus fulvidus 396
Paranectriella 140; juruana 140
Paxillus 395; atrotomentosus 396, 403; panuoides 372, 396, 403
Pectinotrichum 17, 21, 65, 86; lianense 21
Pendulispora venezuelanica 145, 148, 151, 152
Penicilliopsis 11, 26, 29, 65, 68, 86; clavlaeformis 29
Penicillium 25, 26
Peniophora 487; cinerea 480, 481, 486; crassa 377; dryina 377; incarnata 480, 486; liiacea 475, 478, 480, 486; luna 377; lycii 475, 480, 486; nuda 486; proxima 475, 479, 486; pseudonuda 476, 480, 486; quercina 479, 480, 486; f phlebioides 486; resinosa 377; violaceo-livida 487
Perenniporia elongata 494; fraxinea 494; medulla-panis 479, 494; tenuis 494
Pericystis 37, 38, 86
Perisporium 66, 86
Petalosporus 15, 16, 19, 66, 86
Petriella 41, 44, 66, 86; sordida 44
Petriellidium 41, 44, 53, 62, 66, 86; boydii 44, 454
Petromyces 27, 66, 68, 69, 86; alliaceus 27

Peziza 289; caudata 326; crocata 329; crocina 333; epiphylla 334, 336; firma 324; leucopsis 349, 350; scierogena 360; scutula 360; serotina 360; spadiceo-atra 361; whitei 297
Peyronella 465
Peyronelliula 66, 86
Phaeidium 66, 87
Phaeococcomyces 461; catenatus 461; nigricans 458, 461
Phaeohelotium 313, 353, 354, 368; flavum 353, 354; luteum 316, 354; monticola 354
Phaeolus 374, 381, 386; alboluteus 386, 403; fibrillosus 386, 403; schweinitzii 373, 386, 403
Phaeosclera 449, 450, **461**, 465; **dematioides** 460, **461**, 462
Phaeotheca 449, **450**, 460, 465; **fissurella 450**, 452, 454, 458, 460, 464
Phaeotrichum 66, 69, 87
Phanerochaete aculeata 476, 480, 487; cremea 487; macrocystidiata 476, 487; martelliana 475, 479, 487; radulans 480, 487; raduloides 475, 487; septocystidia 476, 487; sordida 476, 481, 487; tuberculata 479, 487; velutina 487
Phaulomyces 440
Phellinus 373, 529; contiguus 479, 480, 498; ferruginosus 498; igniarius 480, 498; johnsonianus 476, 498; pini 373; pomaceus 480, 498; punctatus 475, 479, 498; ribis 498; robustus 498; torulosus 475, 480, 498
Phialea uleana 365
Phialoascus 49
Phibalis 353
Phillipsia 332
Phlebia 181; albida 479, 487; caspica 476, 480, 487; centrifuga 475, 479, 480, 487; deflectens 182; hydnoides 488; lindtneri 475, 487; livida 480, 481, 487; meruloidea 487; radiata 477; rosea 182; roumeguerei 488; rufa 480, 487; segregata 488; subochracea 488; **verruculosa** 168, 179, **181**, 182
Phlebiopsis roumeguerei 475, 480, 488
Pholiota 236
Phoma 444; **cyanea 444**, 446, 447
Phylloporia ribis 478, 480, 498
Physalacria 105, 106, 108, 111, 185, 186, 188; sect Hormomitaria 186; sect Pileolina 185, 186, 188; aggregata 188; concinna 188; luttrellii 105, 106, 110; solida 111, 112; subpeltata 185, 186, 188
Physospora 123
Piptoporus 381, 528, 529; betulinus 382, 404, 476, 495, 528, 529; soloniensis 525, 526, 528, 529
Pisomyxa 66, 87
PITHOASCACEAE 45
Pithoascus 41, 42, 45, 46, 66, 86; intermedius 41; nidicola 41, 46; schumacheri 41
Plectolitus 54, 66, 87
Pleospora 57, 66
Pleuroascus 11, 13, 87; nicholsonii 13
Plicaria 287-290, 302
Plicatura aurea 376
Plunkettomyces 16, 19, 66, 86; littoralis 66
Poculum 255, 276, 323, 332, 362, 365; **bambusae** 315, **323**; crocatum 329-332; **fraternum** 274, **276**, 277; juglandis 273, 277; mahoniae 273; **titubans** 315, 363, 365
Podonectria 141; coccicola 141
Podospora 70
Polyporus alboluteus 386; amarus 391; anisoporus 495; arcularius 475, 480, 495; badius 495; balsameus 391; basilaris 392; betulinus 382; caesius 392; extenuatus 493; fibrillosus 386; floriformis 393; fragilis 392; guttulatus 392; immitis 393; lapponicus 382; leucospongia 392; melanopus 495; meliae 385; mollis 390; osseus 381; palustris 392; perdelicatus 393; persicinus 385; picipes 495; pseudosulphureus 391, 528; schulzeri 528; schweinitzii 386; semipileatus 494; soloniensis 528; spraguei 391; squamosus 480, 495; stipticus 393; subcartilagineus 390; subsericeomollis 496; sulphureus 385; trichrous 391, 528; undosus 392; varius 476, 495; zelleri 381
Pontoporeia 66, 71, 87
Poria 381, 386; albobrunnea 389, 404; albolutescens 387, 404; alpina 389, 404; asiatica 387; aurea 387, 404; bombycina 387, 404; carbonica 389, 404; cinerascens 492; cocos 373, 386, 404; crassa 388, 405; ferox 390, 405; gossypium 389, 405; incrassata 387, 405; inflata 387, 405; lenis 495; lenta 388, 405; mappa 388, 405; microspora 387; nigra 388, 405; odora 390, 405; oleagina 390, 405; oleracea 389, 405; placenta 387, 405; pseudoobducens 495; radiculosa 388, 406; rancida 388, 406; sequoiae 373, 388, 406; sericeomollis 373, 387, 406; sinuosa 389, 406; sitchensis 390, 406; stenospora 390, 406; vaillantii 388, 406; xantha 389, 406
Preussia 61, 62, 66-68, 71, 87
Preussiella 66, 87
Prototheca 454, 456
Pselaphidomyces pselapti 440
Pseudeurotium 31, 32, 34, 67, 86; rilstonii 57; zonatum 34, 63
Pseudoarachniotus 15, 16, 19, 67, 86; hyalinosporus 68
Pseudobalsamia 12
Pseudocercospora 202, 204, 210, 215
Pseudocolus 230; fusiformis 225-227, 229-232; garciae 227; jaczewskii 229; javanicus 229; f schellenbergiae 232; rothae 229; schellenbergiae 229
Pseudodelitschia 65
Pseudogymnoascus 16, 21, 67, 86; roseus 21

Pseudomerulius 376; aureus 376, 406
Pseudomicrodochium 131, 133, 135; aciculare 135; candidum 135; cylindricum 135; suttonii 131, 133, 135
Pseudophaeotrichum 32, 55, 65, 67, 71, 87
Pseudoseptoria 215
Pseudotremeliodendron 115
Psilocybe 235, 236; sect Chrysocystidiatae 236; sect Squamosae 236; aequatoriae 237; alnetorum 239; chrysocystidiata 236; cokeriana 238; coprophila 235; hoogshagenii 235; naematoliformis 237; neocaledonica 236; squamosa 236; subaeruginosa 235; uxpanapensis 235
Pteridosperma 67, 87
Pulcherricium coeruleum 475, 488
Pulveria 67, 87
Puttemansia 139, 141; lanosa 141
Pycnidiophora 67, 87
Pycnoporus cinnabarinus 476, 495
Pyrofomes demidoffii 477, 495
Pyronema 36, 39

Radiigera 8
Radulodon 180
Radulomyces confluens 488; molaris 480, 488
Ramariopsis 282; fusiformis 284
Ramularia mimosae 213
Raperia 25, 26, 28
Rebentischia 137, 141, 143; anodendri 143; brevicaudata 143; costi 143; elaeodendri 143; massalongii 142, 143, 151; pomiformis 142-144; ranella 143; taurica 143; thujana 143; typhae 142; ulmicola 143; unicaudata 142, 144, 151
Rechingeriella 67, 71, 87
Renispora 17, 18, 67, 86; flavissima 18
Repetobasidium 182, 183, 469; hastatum 168, 182, 183; mirificum 168, 183, 184
Rhexothecium 67, 87; globosum 67
Rhinotrichum 123
Rhipidiomyces 433
Rhytidospora 32, 67, 87; tetraspora 67
Richonia 67, 71, 87
Rickia 432; melanophthalmae 431, 433; perpusilla 431, 436; platensis 431, 437; pumila 431, 437
Rigidoporus ulmarius 475, 480, 495
Rogersella sambuci 484
Rollandina 15, 16, 67, 68, 86; capitata 68
Rosellinia rattus 143
Roumegueriella 26, 30, 63, 68, 86; rufula 30
Royella 68, 86
Ruhlandiella 287-290, 296, 297; berolinensis 287, 290-296, 298, 302, 306; hesperia 287, 290, 295, 296
Russula 92; sect Delicinae 93; sect Metachromaticae 93; sect Pellicularieae 92; sect Russula 93; subsect Decolorantinae 96; subsect Emeticinae 94; subsect Foetentinae 95, 96; subsect Heterophyllae 94; amoenolens 95; annulata 92; austrodelica 93; consobrinoides 96; cremeolilacina 94; cyanoxantha 95; decolorans 96; delica 93; diversicolor 94; emetica 93; foetens 96; v minor 96; foetentula 96; fuegiana 93; hygrophytica 92; littoralis 93; marronina 95; martinica 94; matoubensis 96; mephitica 95; metachromatica 93; ochrostraminea 96; puiggarii 93; sororia 95; venezueliana 94
Rutstroemia 341; belisensis 323; longipes 362

Saccardomyces socius 146
Saccharomycopsis 50
Sagenoma 26, 30, 68, 86; viride 30
Sagrahamala 25, 26
Samarospora 31, 68, 87
Sarcinomyces 449, 450, 456-458, 460, 461, 465; albus 456, 457; crustaceus 450, 454, 456-458, 460, 461, 464, 465
Sarcinosporon 456; inkin 456
Sarcoscypha 360
Sarophorum 68, 86, 144
Sartorya 26, 29, 65, 68, 86
Saturnomyces 68, 86
Scabropezia 288-290
Scedosporium 44
Schizopora 180; carneo-lutea 475, 479, 481, 495; paradoxa 480, 481, 495; phellinoides 495; trichiliae 476, 495
Sclerocleista 27, 68, 86; ornata 27
Scopulariopsis 41
Scopuloides hydnoides 480, 488
Scutiger persicinus 386
Scytinostroma 173; galactinum 475, 479, 491; odoratum 491
Sebacina incrustans 500; podlachica 500
Sepedonium 58, 242; ampullosporum 241-244; chrysospermum 244; mycophilum 242, 244
Serpula 372, 374, 378, 380; himantioides 380, 407; incrassata 387; lacrimans 380, 407; pinastri 379
Shanorella 15, 16, 19, 68, 86; spirotricha 19
Sibirina 241, 246; fungicola 246; lutea 241, 244, 246, 247
Siemaszkoa 431, 440; ptenidii 441, 442; pusillima 431, 434, 438, 441, 442
Sirodesmium 460
Sistotrema 489; brinkmannii 476, 481, 488; camshadalicum 476, 488; commune 488; coroniferum 488; diademiferum 488; oblongisporum 488; raduloides 488; resinicystidium 476, 488; subsallantosporum 476, 489
Sistotremastrum niveo-cremeum 481, 489
Soredospora 465; graminis 462, 465
Sparassis 393; crispa 373, 393, 407; herbstii 373, 394, 407; radicata 393
Spermatolonchа 141
Sphaeria biturbinata 66; cerea 154; clintonii 159, 163, 164; helicoma 159, 161; helicophila 157; massalongii 143;

[Sphaeria] pezizula 157; ranella 143; scopula 159, 164, 165; unicaudata 144
Sphaeronaemella 4, 48, 51, 52, 68, 86; fimicola 51; helvellae 52
Sphaerosoma 287, 288, 290, 299, 300; subg Eusphaerosoma 297, 300; subg Tulasnia 301, 302; alveolatum 302; fragile 301, 303, 304; fuscescens 287, 296-301, 305; hesperium 291, 302; janczewskianum 301; ostiolatum 301-303; tasmanica 301; trispora 301; violaceum 302
Sphaerozone 287-289, 300-303, 305, 306; echinulatum 306; ellipsosporum 305; ostiolatum 287, 297, 300-305; tulasnei 302, 303
Sphaerozosma 297, 300; fuscescens 297, 300
Spiromastix 15, 20, 68, 86; warcupii 20
Sporobolomyces coralliformis 253; holsaticus 253; salmonicolor 253
Sporophormis 28, 68, 86
Sporormiella 68, 87
Sporothrix 41
Spragueola mucida 290, 291, 295, 296
Steccherinum 172; fimbriatum 489; ochraceum 489; robustius 489
Stephanoascus 49
Stereum 249, 250, 252; abietinum 394; ambiguum 394; gausapatum 489; hirsutum 489; insignitum 475, 489; rameale 475, 480, 489; rugisporum 394; rugosum 477; subtomentosum 489
Stigmatomyces urophilus 440
Strobilomyces floccopus 244
Stropharia 235
Subbaromyces 51, 68, 87; splendens 51
Subulicystidium longisporum 480, 481, 489
Svrcekia 299
Syncleistostroma 27, 68, 86

Talaromyces 26, 30, 61, 69, 86; vermiculatus 30
Termitaria 97, 99, 101
Termitariopsis 98, 101; cavernosa 97, 98, 99, 101, 103
Testudina 31, 32, 55, 63, 69, 71, 87
Tetracrium 141
Thailandia 69
Thaxteriella 145, 157; corticola 147, 157, 159; indica 157; pezizula 147, 148, 157; roraimensis 147, 157
Thaxteriellopsis lignicola 139
Thelebolus 39, 57
Thermoascus 11, 15, 24, 69, 87; aurantiacus 15
Thielavia 56-58, 60, 63, 69, 87; angulara 60; savoryi 61; sepedonium 57
Thielaviella 69, 87
Thuemenella 507; cubispora 503, 505, 507, 508
Titaea 140, 141
Tomentella bryophila 491; chlorina 479, 480, 491; crinalis 491; ferruginea 491; ferruginella 492; neobourdotii 492; ochracea 492
Tomentellastrum floridanum 492
Toxotrichum 15, 21, 65, 69, 86
Trametes 529; alaskana 383; americana 382; carbonaria 382; cervina 475, 495; gibbosa 478, 480, 481, 496; heteromorpha 383; hirsuta 480, 496; ljubarskyi 475, 496; malicola 383; odorata 382; pubescens 476, 480, 496; sepium 383; serialis 383; suaveolens 496; trogii 496; variiformis 383; versicolor 496; zonatella 496
Trechispora alnicola 475, 489; confinis 489; dimitica 476, 490; farinacea 476, 490; fibrillosa 476, 480, 490; granulifera 476, 490; microspora 490; mollusca 490; mutabilis 482; praefocata 490; vaga 476, 490
Tremella mesenterica 500
Tremellodendron 115
Tremellodendropsis 111, 112, 115; tuberosa 112
Tremellodiscus 290, 291; mucidus 291, 295
Triangularia 71
Trichaptum biforme 475, 479, 496
Tichocoma 11, 22, 26, 29, 69, 70, 86; paradoxa 29
Trichodelitschia 69, 87
Trichomonascus 70, 87; mycophagus 70
Trichophyton 20; tonsurans 456
Trichoscytale 70
Trichoskytale 70, 86
Tripedotrichum 15, 16, 21, 65, 70, 86
Tripterospora 70
Tripterosporella 57, 70, 87
Tuber puberulum 55
Tubeufia 137-139, 145-149, 156, 163, 164; sect Acanthostigmina 137, 149, 162; sect Nectrioidea 137, 149, 154; sect Thaxteriella 137, 146, 149, 157; sect Tubeufia 137, 149; acaciae 146; amazonensis 145, 149, 152, 157; anceps 146, 152; asclepiadis 146; aurantiella 154; cerea 146-149, 154, 156, 157, 159, 164; clintonii 137, 149, 155, 159, 163, 165; coronata 146, 151, 152; corynespora 146, 157; cylindrothecia 138, 146, 149, 151-153; helicoma 146-149, 157, 159, 161, 162; helicomyces 146, 148, 151, 152; javanica 146, 151, 152; margarita 153; minuta 146, 164; nigrotuberculata 146; pachythrix 151; palmarum 149, 154; paludosa 138, 146-149, 151, 152, 157; pezizula 137, 149, 157, 159, 161; rugosa 146-148, 161; scopula 137, 149, 159, 163, 164, 165; stromaticola 151
Tubulicrinis incrassatus 476, 490; thermometrus 476, 490
Tulasnella allantospora 500; eichleriana 480, 501; violea 500

Typhula 105, 108, 110; subg Cnazonaria 105, 108, 110; elegans 110; luttrellii 105, 106-110; setipes 108; sphaeroidea 110
Tyromyces 374, 382, 390, 529; amarus 373, 391, 407; balsameus 373, 391, 407; basilaris 373, 392, 407; caesius 392, 407; chioneus 529; floriformis 393, 408; fragilis 392, 408; gilvescens 475, 480, 496; graminicola 381; guttulatus 392, 408; hibernicus 475, 496; kravtzevianus 390; lacteus 393, 408, 496; leucomallellus 391, 408; leucospongia 392, 408; lowei 393, 408; mollis 390, 408; paiustris 391, 408; perdelicatus 393, 409; placenta 475, 496; spraguei 373, 391, 409; stipticus 393, 409; transmutans 390, 409; trichrous 391, 409, 529; undosus 392, 409

Ulospora 70, 87
Uncinocarpus 16, 21, 70, 86
Uthatobasidium fusisporum 490

Vararia ochroleuca 475, 491
Veluticeps 374, 394; berkeleyi 373, 394, 409; fusca 394
Veronaia 70, 87
Verticicladiella 49
Verticillium 60
Viennotidia 51
Vuilleminia comedens 480, 490; cystidiata 475, 480, 490; megalospora 475, 490

Waldemaria 19, 70, 86
Wangiella dermatitidis 458, 460, 461
Warcupia 71, 87
Warcupiella 28, 68, 71, 86; spinulosa 28
Wardomyces 41
Westerdykella 66, 67, 71, 87

Xanthothecium 11, 14, 71, 87; peruvianum 11, 14
Xenasma prunosum 490; pulverulentum 490
Xenasmatella allantospora 490; grisella 491; raila 491; tulasnelloidea 491
Xeromyces 39, 59, 64, 71, 86; bisporus 39
Xylaria annulipes 31
Xylobolus frustulatus 479, 491; subpileatus 475, 477, 479, 491
Xylogone 11, 15, 71, 87; sphaerospora 15
Xynophila 11, 13, 71, 87; mephitalia 13

Zendera 526
Zopfia 55, 56, 65-67, 69, 71, 87; albizia 71; biturbinata 71; punctata 71; rhizophila 71; variospora 67
Zopfiella 31, 54, 58, 70, 71, 87
Zopfiofoveola 71, 87

REVIEWERS

The Co-Editors express their appreciation to the following individuals who have reviewed one or more of the papers in this volume prior to acceptance for publication

J. AMMIRATI
G. L. BARRON
R. K. BENJAMIN
J. BOIDIN
H. H. BURDSALL, JR.
E. J. H. CORNER
J. L. CRANE
F.-E. ECKBLAD
J. ERIKSSON
W. GAMS
J. W. GERDEMANN
R. GOOS
L. F. GRAND
S. J. HUGHES
T. W. JOHNSON, JR.
S. R. KHAN
F. F. LOMBARD
B. LOWY
E. S. LUTTRELL
M. R. McGINNIS
H. S. McNABB
T. R. NAG RAJ
K. NAKASONE
R. H. PETERSEN
D. H. PFISTER
Z. POUZAR
D. REID
J. D. ROGERS
C. T. ROGERSON
A. Y. ROSSMAN
L. RYVARDEN
N. C. SCHENCK
M. A. A. SCHIPPER
T. SCHUMACHER
R. L. SHAFFER
E. G. SIMMONS
Å. STRID
B. C. SUTTON
J. M. TRAPPE
A. J. WELDEN
G. C. A. VAN DER WESTHUIZEN

PUBLICATION DATES FOR MYCOTAXON

Volume 11, No. 2 — August 13, 1980
Volume 12, No. 1 — December 16, 1980

ERRATA, VOLUME ELEVEN

Page 290, lines 34-37, final words: *for* N[illegible] 1. isoneotyp Exsi. *read* Neo- 1230 isoneotypes Exsic-
411, line 1: *for* DEVELOPEMENT *read* DEVELOPMENT
414 7: *for* (Fig. 3) *read* (Fig. 9)
10: *for* (Fig. 2), *read* (Fig. 8),
443 26: for *C.* read *Chaetosphaeria*

ERRATA, VOLUME TWELVE

Page 1, line 10: *for* sphaeriales *read* sphaerales
8 11: *for* Lating *read* Latin
12 5: for *Pseudobalsmia* read *Pseudobalsamia*
27: for *Galactomyces.* read *Dipodascus.*
14 13: for *aveolata* read *alveolata*
16 18, 20: for *Ascodesmus* read *Ascodesmis*
17 5: *for* conbination *read* combination
13: for *Malbranchia* read *Malbranchea*
34: *for* Arachnioideae *read* Arachniotoideae
18 2: *for* Arthrodermoideae *read* Arthrodermatoideae
14: *for* ARACHNIOIDEAE *read* ARACHNIOTOIDEAE
19 11: for *Arachiotus* read *Arachniotus*
31: *for* ARTHRODERMOIDEAE *read* ARTHRODERMATOIDEAE
22 21: delete *eberhardtii*
25 26: *after* =Eurotiaceae *add* Clements & Shear, Genera of Fungi, p. 50, 1931.
26 13: for *Emericalla* read *Emericella*
25: *for* ear. *read* eae.
27: for *Aspergillus* anamorphs, *Sago-* read *Aspergillus* anamorphs, *Sage-*
28: for *nema* read *noma*
31 42: FOR *sulfurea.* For those remaining genera READ *sulfurea,* that include
36 19: *for* ASCOSPHAERIALES *read* ASCOSPHAERALES
39 24: *for* here. *read* there.
45 4: for *Lophotricus* read *Lophotrichus*
45 17: for *cum poris* read *sine poris*
26: *for* with germination *read* without germination
48 30: *for* homonym *read* synonym
52 34: for *Ceratocysis* read *Ceratocystis*
54 14: *for* Muller *read* Müller
57 45: *for* concieved *read* conceived
59 17: for *Ascodesmus* read *Ascodesmis*
61 2: for *Fleishhakia* read *Fleischhakia*
62 5: for *ponese* read *ponense*
66 29: for *Plectolitus* read *Plectolithus*
71 19: for *Xenophilia* read *Xenophila*
41: for *Lepidosphaera* read *Lepidosphaeria*
86, col. 2: *for* ASCOSPHAERIALES *read* ASCOSPHAERALES
for Ascosphaeriaceae *read* Ascosphaeraceae
87 1: for *Triptosporella* read *Tripterosporella*
2: for *Richingerella* read *Rechingerella*
3: for *Fleishhakia* read *Fleischhakia*
for *Puressiella* read *Preussiella*
for *Ceratocarpie* read *Ceratocarpia*
91 1: FOR *Sagenoma* 26, 68, READ *Sagenoma* 26, *30,* 68
98, line 13: for *Termitaria* read *Termitariopsis*
115 36: for H. solida read Heterocephalacria solida
139 13: for *B.* read *Boerlagiomyces*
147 36: for *A.* read *Acanthostigmina*
163 19: for *Acanthostigma minuta* read *Acanthostigma minutum*
21: for *Acanthostigmina minutum* read *Acanthostigmina minuta*
255 11: for *brasiliensis* read *brasiliense*
27: *for* (Dumont, 1980) *read* (Dumont, 1981)
256 30: for *brasiliensis* read *brasiliense*
261 48: for *brasiliensis* read *brasiliense*
272 24: for *siliensis* read *siliense*
277 20: *insert* ____. 1981. (In press, Mycotaxon 12: 313-371.)

MYCOTAXON

AN INTERNATIONAL JOURNAL DESIGNED TO EXPEDITE PUBLICATION OF RESEARCH ON TAXONOMY & NOMENCLATURE OF FUNGI & LICHENS

VOLUME XII, 1980-1981

COMPLETE IN TWO QUARTERLY ISSUES

CONSISTING OF iv + 548 PAGES

INCLUDING FIGURES

CO-EDITORS

G. L. HENNEBERT
French Language Editor & Book Review Editor

RICHARD P. KORF
English Language Editor & Managing Editor

SUSAN C. GRUFF
Assistant Editor

Published by

MYCOTAXON, LTD., P.O. BOX 264, ITHACA, NY 14850, USA

Printed in the United States of America

TABLE OF CONTENTS, VOLUME TWELVE

No. 1 October-December 1980

A synopsis of the orders and families of Plectomycetes with keys to genera, GERALD L. BENNY & JAMES W. KIMBROUGH..... 1
New taxa of *Russula* from the Lesser Antilles, D. N. PEGLER & R. SINGER..... 92
Termitariopsis cavernosa, gen. et sp. nov., a sporodochial fungus ectoparasitic on ants, MEREDITH BLACKWELL, ROBERT A. SAMSON & J. W. KIMBROUGH..... 97
Physalacria luttrellii Baker est une *Typhula*, J. BERTHIER..... 105
Une nouvelle Trémellale clavarioide: *Heterocephalacria solida* gen. et sp. nov, J. BERTHIER..... 111
Botryobasidium chilense sp. nov., a teleomorph of *Haplotrichum chilense*, VĚRA HOLUBOVÁ-JECHOVÁ..... 117
Revision and subdivision of *Haplotrichum* - anamorphs of *Botryobasidium*, VĚRA HOLUBOVÁ-JECHOVÁ..... 122
Phaeohyphomycosis in a dog caused by *Pseudomicrodochium suttonii* sp. nov., LIBERO AJELLO, ARVIND A. PADHYE & MARIE PAYNE..... 131
On the family Tubeufiaceae (Pleosporales), MARGARET E. BARR..... 137
Studies in tropical Corticiaceae (Basidiomycetes) II, KURT HJORTSTAM & LEIF RYVARDEN..... 168
Contribution to neotropical Cyphellaceous fungi - II. *Deigloria* gen. nov. (Physalacriaceae), R. AGERER..... 185
Notes on the original species of *Cercosporina*, B. C. SUTTON & N. PONS..... 201
Myrothecium tongaense anam.-sp. nov., FRANK DICOSMO, JOHN MICHAELIDES & BRYCE KENDRICK..... 219
Notes on *Pseudocolus fusiformis*, RICHARD L. BLANTON & WILLIAM R. BURK..... 225
Three new sections in the genus *Naematoloma* and a description of a new tropical species, GASTÓN GUZMÁN..... 235
Notes on hyphomycetes.
XXXVIII. *Sepedonium ampullisporum* and *Sibirina lutea* sp. nov, G. MORGAN-JONES & DENNIS J. GRAY..... 241
XXXIX. *Cylindrothecium curvatum* sp. nov., G. MORGAN-JONES..... 249
Validation of the name of the yeast *Sporobolomyces holsaticus* Windisch, D. YARROW & JACK W. FELL..... 253
Sclerotiniaceae XVI. On *Helotium rufo-corneum* and *Helotium fraternum*, KENT P. DUMONT..... 255
Additions to the fungus flora of Bermuda I: a new species of *Lachnellula* on *Pittosporum*, LINDA M. KOHN..... 278
Type studies in the Clavariaceae. VI. Four pivotal types from the Pacific tropics, RONALD H. PETERSEN..... 281
Preliminary studies in the genera *Ruhlandiella*, *Sphaerosoma*, and *Sphaerozone* (order Pezizales), HENRY DISSING & RICHARD P. KORF.... 287
Revue des Livres, G. L. HENNEBERT..... 307

W. B. KENDRICK; D. B. LEBEDEV; R. SINGER; SOCIÉTÉ FRANÇAISE DE PHYTOPATHOLOGIE; L. J. GRELET; Charles Horton PECK; E. GRAM, P. BOVIEN & C. STAPEL; G. W. GOODAY, D. LLOYD & A. P. J. TRICINI; E. PUNITHALINGAM; A. S. ZAINAL

Notice: Change of Date of MSA Golden Jubilee..... 312

No. 2 January-March 1981

Leotiaceae II. A preliminary survey of the neotropical species referred to *Helotium* and *Hymenoscyphus*, KENT P. DUMONT..... 313
North American wood-rotting fungi that cause brown rots, ROBERT L. GILBERTSON..... 372
Crepidotus cinnabarinus in North America, BRIAN S. LUTHER & SCOTT A. REDHEAD..... 417
Notes on Argentinian Laboulbeniales, with the description of a new genus, *Benjaminella*, ISABELLE I. TAVARES..... 431
Phoma cyanea sp. nov. from wheat debris, W. J. JOOSTE & M. C. PAPENDORF..... 444
Phaeotheca and *Phaeosclera*, two new genera of dematiaceous hyphomycetes and a redescription of *Sarcinomyces* Lindner, LYNNE SIGLER, A. TSUNEDA & J. W. CARMICHAEL..... 449
Basidium repetition in *Confertidium* (Corticiaceae, Basidiomycetes), NILS HALLENBERG..... 468
Synopsis of wood-inhabiting Aphyllophorales (Basidiomycetes) and Heterobasidiomycetes from N. Iran, NILS HALLENBERG..... 473
Récolte de *Thuemenella cubispora* au Gabon, FRANÇOISE CANDOUSSAU..... 503
Glomus albidus: a new species in the Endogonaceae, CHRISTOPHER WALKER & LANDON H. RHODES..... 509
Acaulospora spinosa sp. nov. with a key to the species of *Acaulospora*, CHRISTOPHER WALKER & JAMES M. TRAPPE..... 515
Distribution of *Amanita nauseosa*, GASTÓN GUZMÁN..... 522
Dipodascus polyporicola nov. sp., a parasitic hemiascomycete on *Piptoporus solonienesis* (Fr.) Pil., T. SCHUMACHER & L. RYVARDEN.... 525
Revue des Livres, G. L. HENNEBERT..... 531

John I. PITT; E. HORAK; William R. BURK; M. T. TELLERIA; P. MEINHARDT; Sui Long LI

Author INDEX..... 535
INDEX to Fungous and Lichen Taxa..... 537
Reviewers..... 547
MYCOTAXON publication dates, 11(2) and 12(1)..... 547
Errata, Volume 11..... 547
Errata, Volume 12..... 548